

FOR USE IN ELECTRIC SPRAYERS AND FOG GENERATORS WHERE FOODS ARE PROCESSED, STORED OR SERVED, WHEN USED ACCORDING TO DIRECTIONS.

**DIRECTIONS**

Use full strength. Do not dilute.

Use a coarse wet spray at the rate of 3 to 6 ounces per 10,000 cubic feet to kill **FLIES, MOSQUITOES and GNATS**: Close doors and windows, directing the spray toward the ceiling. The room should be filled with mist and remain closed for 10 to 20 minutes. Sweep up dead or stupefied insects and destroy them. Repeat treatment as often as necessary. The frequent spraying of breeding places, such as stagnant water and manure piles, also helps.

Use a coarse wet spray at the rate of 15 to 20 ounces per 10,000 cubic feet to kill **ROACHES**: Spray liberally with force around refrigerators, sinks, all cabinets, around pantry shelves, into all cracks and crevices, in mouldings and woodwork, pipe openings in walls and floors, or wherever these insects are likely to hide, hitting as many as possible. Repeat treatment as often as necessary.

Use a coarse wet spray at the rate of 15 to 20 ounces per 10,000 cubic feet to kill **ANTS**: Use the spray so as to wet as many insects as possible, paying particular attention to nests or runways. To kill accessible stages of certain stored product pests: Apply liberally to empty bins, chutes and elevator shafts. Apply to walls and floors, paying particular attention to cracks and crevices. Columns and ceilings between joists should be sprayed, as should all spaces around and under equipment. Spray insects directly, but do not apply to foodstuffs. Repeat treatment as often as necessary.

EPA Est. No. 106-IN-1  
EPA Est. No. 106-NJ-1  
EPA Est. No. 106-CA-1



**FORMULA #350  
INSECTICIDE**

EPA Registration No. 106-35-AA

Kills flies, including fruit flies, mosquitoes, gnats, roaches and also the accessible stages of granary weevil, the confused flour beetle, the Indian meal moth, the Mediterranean flour moth and certain other stored product insects.

ACTIVE INGREDIENTS .....	100.00%
Piperonyl Butoxide Technical* .....	1.75%
Pyrethrins .....	0.35%
Petroleum Distillate .....	97.90%

\* Equivalent to 1.40% of (butylcarbityl) (6-propylpiperonyl) ether, and to 0.35% of related compounds.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Read carefully complete caution statements on right side panel.

NET CONTENTS  U.S. GALLONS

Manufactured and Sold by:  
**BRULIN & COMPANY, INC.**

Indianapolis, Indiana 46206 U.S.A.  
Westwood, N.J. 07675 Richmond, Calif. 94804

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Harmful or fatal if swallowed. Do not take internally. If swallowed, do not induce vomiting. Call physician. Avoid inhalation.

Contains Petroleum Distillates. Combustible, do not spray or fog into or near fire or open flame. Turn off all pilot lights. Do not smoke. Keep container closed when not in use.

Use this product in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

When using in enclosed areas: Do not remain in treated areas. Ventilate the area after treatment is completed.

Container disposal: Do not reuse empty drum. Return drum to reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

106-35