PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Keep out of reach of children. Corrosive. Causes severe eve and skin. damage. Do not get in eyes, on skin, or on clothing. Wear googles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through the skin. Avoid contamination of food.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

This product must be kept under locked storage sufficient to make it inaccer sible to children or persons unfamiliar with its proper use.

- I o not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.
- Store in a dry place no lower in temperature than 50° F, or higher than 120 F

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide. pray mixture or rin is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your ! State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL PLASTIC CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL CONTAINERS

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



DISINFECTS, DEODORIZES AND CLEANS IN ONE **OPERATION FOR ALL HOSPITAL FURNISHINGS AND** OTHER WASHABLE SURFACES

ACTIVE INGREDIENTS:

n-Alkyl (60% C.,, 30% C.,, 5% C.,) dimethyl benzyl ammonium chlondes n-Alkyl (68% C.,, 32% C.,) dimethyl ethylbenzyl ammonium chlorides INERT INGREDIENTS 96.8% Total 100 0%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing. before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol, Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use

of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS

E.P.A. REG. NO. 106-44

U.S. GALLONS

E.P.A. EST. NO. 106-IN-1

Manufactured and Sold by:

BRULIN & COMPANY, INC. 1-800-776-7149

Indianapolis, IN Richmond, CA Tampa, FL

The outstanding action of CDQ is due to a combination of quaternary ammonium disinfectant, a biodegradable detergent and synergizing builders.

DIRECTIONS FOR USE

Brulin's CDQ is a concentrate and must be diluted before use. For normal cleaning and disinfecting, use 2 to 4 ounces per gallon of water. Floors should be mopped with this solution. using only clean moos. Other hard surfaces; wipe with clean rags, or use hand scrub brush. Wear rubber or plastic gloves while hand scrubbing and ringing

• Use at 4 oz. per gallortto kill \$\mathbb{P}s. aetuqtnosa.

•Use at 2 oz. per gallon to kill S. aereus and S. cholerasuis.

Outstanding rinsability, moderate foam height and synergized cleaning make CDQ outstanding for most washable surfaces including composition, terrazzo and marble floors; glass and metal equipment, and painted and varnished surfaces; vinyl and leather upholstery. Removes heavy soils and even strips

> Reorder Product No. 161004 12/89

Not Reviewed. Registrant chims to be in accordance with ก็สส**ศัยหลังอยู่ ก**ับสังได้ โดยได้ เดือน for Phase 2 Hooranse, Paro Distance of the Status.

wax from floors.