NOT FOR AGRICULTURAL OR HOME USE

Brulin LIQWEED

NONCORROSIVE TO EQUIPMENT

CONCENTRATE FOR NONSELECTIVE OR INDUSTRIAL WEED CONTROL

DIRECTIONS

For Nonselective or Industrial Weed Control: To control much annual and susceptible perennial weeds such as downy brome grass, oat grass, goose grass, quack grass, puncture vine, golden rod and plantain apply 1¼ to 2 quart LIQWEEDATE per 1,000 square feet, or 12 to 20 gallons per acre. Dilute LIQWEEDATE in sufficient amount of water to obtain satisfactory coverage. Typical amounts 50 to 100 gallons for acre dosage, 2 to 4 gallons for 1,000 square feet dosage. Use spraying equipment adjustable to provide coarse, drenching spray.

To control hard to kill species such as Johnson grass, Bermuda grass, bindweed and wild carrot apply at rate of 4 to 6 quarts per 1,000 square feet.

For Foliage Spray: apply in spring and summer, anytime after plants reach full leaf stage and until start of dormant season. Mix 8 to 11 gallons LIQWEEDATE in 100 gallons of water and apply to foliage in sufficient pressure (80 psi or more) and quantity to assure adequate penetration and coverage of all parts of the plant.

For quick top kill of existing vegetation LIQWEEDATE may be dissolved in diesel or fuel oil. Use oil solutions at the rate of 100 to 200 gallons per acre.

LIQWEEDATE is a commercial product, not intended for home use.

DESCRIPTION: Brulin's LIQWEEDATE is a herbicide and brush killer which, when properly mixed and applied, controls most woody plants, annuals and many perennial broadleaf weeds for a full season or longer with one application. Designed for use on fence rows, railroad and utility rights-of-way, industrial sites, lumber yards, refineries and airports.

Much of LIQWEEDATE'S activity is through the roots. Adequate rainfall is desirable for best results.

Active Ingredients	
2-methoxy-4,6-bisisopropylamino-s-triazine*	10.00
Isooctyl Ester of 2,4-Dichlorophenoxyacetic Acid**	2.76
Isooctyl Ester of 2,4,5-Trichlorophenoxyacetic Acid***	2.64
Active ingredients total	15.40
Inert Ingredients	84.60
	100.00

*[illegible]

NET CONTENTS U.S. GALLONS

Manufactured and Sold by:

BRULIN & COMPANY, INC.

INDIANAPOLIS, INDIANA 46206, U.S.A.

[redacted]

WARNING

Keep Out of Reach of Children

Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. In case of skin contact, wash with soap and water. Wash thoroughly after handling.

Do not use near feed or foodstuffs. Do not use where adjacent desirable trees, shrubs or plants may be injured by chemical leaching through the soil. Vapors may injure susceptible plants in vicinity of application. Apply only where there is no hazard of drift.

Do not contaminate supplies of water used for drinking or irrigation purposes.

Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Do not use same spray equipment for other purposes than dispensing this product, unless cleaned with a suitable chemical cleaner.

Do not use or store near heat or open flame. Do not store near fertilizers, seeds, insecticides or fungicides. Do not reuse empty container. Destroy by burying in a safe place.

GENERAL FISH, WILDLIFE AND ENVIRONMENTAL CAUTIONS: This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use around the home or recreation areas

ACCEPTED
106-49
[illegible]

38