

Hospital Grade: Pseudomonicidal at dilution of 1½ ounces per gallon (read complete directions below).

DIRECTIONS AND USE DILUTIONS

DISINFECTANT CLEANER #14 must be diluted before use. For general disinfection of floors, walls and fixtures, dilute 1½ ounces of **DISINFECTANT CLEANER #14** in one gallon of warm water. Mop floors with new or freshly laundered wet mops set aside for this purpose only. Wear rubber or plastic gloves for hand scrubbing. Thoroughly scrub all surfaces.

DISINFECTANT CLEANER #14 solution should remain in contact with surfaces being disinfected for as long as possible. Treated surfaces used for food handling must receive a terminal potable water rinse before re-use.

For areas suspected of severe contamination or high organic load, dilute 2 ounces of **DISINFECTANT CLEANER #14** in one gallon of warm water. Proceed as above. Stronger solutions may be used for soil removal purposes.

DISINFECTANT CLEANER #14 is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*, *Mycobacterium tuberculosis* and *Trichophyton interdigitale*.

D.C. #14 is a commercial product not intended for home use.



DISINFECTANT CLEANER #14

Liquid Cleaning Compound, Disinfectant and Deodorant.

FOR USE IN CLEANING AND DISINFECTING FLOORS, WALLS, WASHABLE FURNISHINGS AND FIXTURES:


For use on these surfaces in operating rooms and treatment facilities in hospitals, clinics, nursing centers and similar public and private institutions, and in industry. Will not diminish conductivity of conductive flooring.

Active Ingredients:


Isopropanol.....	10.00%
Potassium 4-chloro-2-cyclopentyl phenate.....	5.75%
Potassium o-phenyl phenate.....	3.89%
Potassium p-tertiary-amylphenate.....	1.60%
Tetrasodium ethylene diamine tetraacetate.....	1.00%
Inert Ingredients	77.76%

100.00%

NET CONTENTS



U.S. GALLONS



DISINFECTANT CLEANER #14

Liquid Cleaning Compound, Disinfectant and Deodorant.

FOR USE IN CLEANING AND DISINFECTING FLOORS,
WALLS, WASHABLE FURNISHINGS AND FIXTURES:
For use on these surfaces in operating rooms and treat-
ment facilities in hospitals, clinics, nursing centers and
similar public and private institutions, and in industry.
Will not diminish conductivity of conductive flooring.

Active Ingredients:

Isopropanol.....	10.00%
Potassium 4-chloro-2-cyclopentyl phenate.....	5.75%
Potassium o-phenyl phenate.....	3.89%
Potassium p-tertiary-amylphenate.....	1.60%
Tetrasodium ethylene diamine tetraacetate.....	1.00%
Inert Ingredients	77.76%
	<hr/>
	100.00%

NET CONTENTS



U.S. GALLONS

DANGER

Keep Out of Reach of Children

Do not take internally. Do not get in eyes,
on skin or on clothing. May cause eye
damage. Protect eyes when handling con-
centrate. Causes skin irritation. May cause
skin sensitization. Harmful if swallowed.
Avoid contamination of food.

FIRST AID: If swallowed, drink large quanti-
ties of milk, egg white or gelatin solution.
If these are not available drink large quanti-
ties of water. Avoid alcohol. Call a physician.

If spilled in eyes, flush immediately with
plenty of water for at least 15 minutes,
and get medical attention. If spilled on skin,
wash thoroughly with water. Remove all
contaminated clothing, and launder before
reuse.

DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.

CONTAINER DISPOSAL: Rinse empty con-
tainers thoroughly with water, and discard.

E.P.A. Registration No. 106- 53

Manufactured and Sold by:

BRULIN & COMPANY, INC.
Indianapolis, Indiana 46206 U.S.A.
Westwood, New Jersey 07675
Richmond, California 94804