

Oct 2-1979 106-62

DIRECTIONS

Remove protective cap from top of can. Hold can upright, point valve opening in desired direction. To spray, press valve down.

Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches on the "ON" position.

FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

Apply in small amounts directly into cracks and crevices using an injection or insertion tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where roaches, ants, fleas and silverfish may hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS — Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surface likely to be contacted by food.

(Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS — Include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling)

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables.

(continued on right panel)



King Size



Bug Bomb

EPA Registration No. 106-62
EPA Est. 334-IL-2

**Kills DDT Resistant Flies • Mosquitoes • Ants
• Cockroaches • Silverfish • Moths • Gnats**

ACTIVE INGREDIENTS	by weight
*2, 2-Dichlorovinyl Dimethyl Phosphate	0.46%
*Related Compounds	0.04
Pyrethrins	0.10
Petroleum Distillates	19.40
INERT INGREDIENTS	80.00
	100.00%

*VAPONA, of Shell Chemical Co

WARNING

KEEP OUT OF REACH OF CHILDREN

**CONTENTS UNDER PRESSURE
READ BOTH SIDE PANELS CAREFULLY**

NET CONTENTS 16 OUNCES

Manufactured for

BRULIN & COMPANY, INC.
INDIANAPOLIS, INDIANA 46206 U.S.A.

Westwood, N.J. 07675

Richmond, Calif. 94804

pallets and similar areas where insects hide or through which they may enter.

Flies, Mosquitoes and Gnats: Spray upward into all four corners of room, 4 to 6 seconds required per 1,000 cubic feet; 6 to 8 seconds for the average size room. Close windows and doors for 15 minutes after treatment. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat as often as necessary.

Flying Moths, Wasps, Hornets: Spray 20 to 25 seconds per 1,000 cubic feet. Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places; directly on insects when possible. Repeat as often as necessary.

Bedbugs: Spray seams and tufts only of mattresses and all cracks and hiding places in bedroom. Treated mattresses and bedroom should be aired for at least four hours before use.

Clothes Moth Worms, Carpet Beetles: Remove clothing from closet. Spray all surfaces, cracks and crevices. Spray clothing from a 3 foot distance, with attention to seams, collars and labels. Repeat treatment every 30 days if garments are not stored in moth proof containers.

Do not allow children in treated areas until surfaces are dry. Do not apply to areas which will be contacted frequently by children or pets.

WARNING

**KEEP OUT OF REACH
OF CHILDREN**

Contents Under Pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F. may cause bursting. Never throw container into fire or incinerator.

Harmful if Swallowed, Inhaled or Absorbed Through Skin. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not spray food, kitchen utensils, water or feed. If swallowed, induce vomiting immediately and call physician. Atropine is antidotal.

Do Not Spray Directly on Skin, or on Animals. Remove birds and pets and cover fish bowls and aquaria before spraying room.

106-62-1