Pseudomonicidal at dilution of 21/2 ounces per gallon (read complete directions below).

DIRECTIONS AND USE DILUTIONS **DISINFECTANT CLEANER #6** must be diluted before use. For general disinfection of floors, walls and fixtures, dilute $2\frac{1}{2}$ ounces of **DISINFECTANT CLEANER #6** in one gallon of warm water. Mop floors with new or freshly laundered wet mops set aside for this purpose only. Wear rubber or plastic gloves for hand scrubbing. Thoroughly scrub all surfaces.

DISINFECTANT CLEANER #6 solution should remain in contact with surfaces being disinfected for as long as possible. Treated surfaces used for food handling must be scrubbed with detergent and rinsed with potable water before re-use.

For areas suspected of severe contamination or high organic load, dilute 4 ounces of **DISINFECTANT CLEANER #6** in one gallon of warm water. Proceed as above.

DISINFECTANT CLEANER #6 is effective against Staphylococcus aureus. Salmonella choleraesuis and Pseudomonas aeruginosa, Mycobacterium tuberculosis and Trichophyton interdigitale.

> D.C. #6 is a commercial product not intended for home use



WALLS, WASHABLE FURNISHINGS AND FIXTURES: For use on these surfaces in operating rooms and treatment facilities in hospitals, clinics, nursing centers and similar public and private institutions, and in industry. Will not diminish conductivity of conductive flooring.

panel.

Isopro Potas Potas

Potas

Tetras

Inert

3P-10M-9/75

Liquid Cleaning Compound, Disinfectant and Deodorant.

FOR USE IN CLEANING AND DISINFECTING FLOORS.

DANGER Keep Out of Reach of Children

Read carefully complete caution statement on right side

Active Ingredients:

opanol	11.10%
sium o-benzyl-p-chlorophenate	3.97%
ssium p-tertiary-amylphenate	3.08%
ssium o-phenylphenate	2.75%
sodium ethylenediamine tetraacetate	0.47%
Ingredients	78.63%
1	00.00%

NET CONTENTS

U.S. GALLONS



Liquid Cleaning Compound, Disinfectant and Deodorant.

FOR USE IN CLEANING AND DISINFECTING FLOORS, WALLS, WASHABLE FURNISHINGS AND FIXTURES:

For use on these surfaces in operating rooms and treatment facilities in hospitals, clinics, nursing centers and similar public and private institutions, and in industry. Will not diminish conductivity of conductive flooring.

DANGER Keep Out of Reach of Children

Read carefully complete caution statement on right side panel.

Active Ingredients:

Isopropanol	11.10%
Potassium o-benzyl-p-chlorophenate	
Potassium p-tertiary-amylphenate	3.08%
Potassium o-phenylphenate	
Tetrasodium ethylenediamine tetraacetate	
Inert Ingredients	

100.00%

NET CONTENTS



DANGER Keep Out of Reach of Children

Do not take internally. Do not get in eyes, on skin or on clothing. Causes eye damage. Protect eyes when handling concentrate. Causes skin irritation. May cause skin sensitization. Harmful if swallowed. Avoid contamination of food.

FIRST AID: If swallowed, drink large quantities of milk, egg white or gelatin solution. If these are not available drink large quantities of water. Avoid alcohol. Call a physician.

If splashed in eyes, flush immediately with plenty of water for at least 15 minutes, and get medical attention. If spilled on skin, wash thoroughly with water. Remove all contaminated clothing, and launder before reuse.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

CONTAINER DISPOSAL: Rinse empty containers thoroughly with water, and discard.

> E.P.A. Registration No. 106-65 EPA Est. No. 106-IN-1

Manufactured and Sold by:

BRULIN & COMPANY, INC.

Indianapolis, Indiana 46206 U.S.A. Westwood, New Jersey 07675

Richmond, California 94804