

106-73

1/5

Brulin&Co., Inc.  
2920 Dr. Andrew J. Brown  
Indianapolis, IN 46205

MAR 13 2001

Subject: Maxima 256  
EPA Registration No. 106-73  
Amendment dated January 16, 2001

Attn: Berma L. Johnson  
Compliance/Regulatory Affairs Mgr.

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided you make the following changes to the label:

1. The "Statements of Practical Treatment" will need to be updated in accordance with PR Notice 2000-3. (For guidance"www.epa.gov/oppmsd1/PR\_Notices/pr2000-3.pdf)

2. The Precautionary Statements will need to be updated according to the Label Manual 3<sup>rd</sup> Edition by stating:

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

3. Under the "Toilet Bowl/Urinal disinfectant/Cleaner Directions", add the statement: "Remove gross filth or heavy soil prior to application of product".

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label before this product is released for shipment.

CONCURRENCES

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

If you have any questions concerning the comments in this letter, you should contact Zenobia Jones at (703) 308-6198.

Sincerely,



Velma Noble  
Product Manager 31  
Regulatory Management Branch 1  
Antimicrobial Division (7510C)

3/5

# MAXIMA 256 GERMICIDAL DETERGENT

STAPHYLOCIDAL PSEUDOMONACIDAL VIRUCIDAL\* FUNGICIDAL

**ACTIVE INGREDIENTS:**

Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%)	
dimethyl benzyl ammonium chloride .....	5.6040%
Octyl decyl dimethyl ammonium chloride.....	4.2030%
Didecyl dimethyl ammonium chloride .....	2.8315%
Diocetyl dimethyl ammonium chloride .....	2.1015%
<b>INERT INGREDIENTS:</b> .....	<u>85.2600%</u>
<b>TOTAL</b> .....	<b>100.00%</b>

DILUTION: 1 TO 256 . . . ONE-HALF OUNCE PER GALLON

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See Side Panel for Statement of Practical Treatment and Additional  
Precautionary Statements

EPA Reg. No. 106-73

EPA Est. No. 106-IN-1

NET CONTENTS 5 U.S. GALLONS

Manufactured and Sold By:

**BRULIN & COMPANY, INC.**

HOME OFFICE/PLANT: P. O. Box 270 • Indianapolis, IN 46206-0270

1-800-776-7149

INDIANAPOLIS IN • TAMPA FL • RICHMOND CA


MAXIMA 256 is a "one-step" multi-purpose germicidal detergent effective in hard waters up to 400 ppm hard water (calculated as CaCO<sub>3</sub>) in the presence of 5% organic serum. The activity of MAXIMA 256 has been evaluated by the AOAC use dilution test (14th Edition, 1984) and found to be effective against the following pathogenic organisms:

- |                                |                                     |                                |                                    |
|--------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| <i>Pseudomonas aeruginosa</i>  | <i>Brevibacterium ammoniagenes</i>  | * Avian Infectious Bronchitis  | <i>Staphylococcus aureus</i>       |
| <i>Staphylococcus aureus</i>   | <i>Staphylococcus aureus</i> (MRSA) | * Avian Influenza A/Mich.      | phage type 81                      |
| phage type 80                  | Multiply (Methicillin)              | * Infectious Bovine            | <i>Staphylococcus epidermidis</i>  |
| <i>Salmonella typhi</i>        | Resistant Clinical Isolate          | Rhinotracheitis                | <i>Enterobacter aerogenes</i>      |
| <i>Staphylococcus aureus</i>   | * HIV-1 (AIDS Virus)                | * Canine Distemper             | <i>Escherichia coli</i>            |
| phage type 42B/52/81           | * Adenovirus Type 2                 | * Feline Leukemia              | <i>Serratia marcescens</i>         |
| <i>Salmonella choleraesuis</i> | * Herpes Simplex Type 1             | * Feline Picornavirus          | <i>Proteus vulgaris</i>            |
| <i>Streptococcus pyogenes</i>  | * Influenza Type A/Mich.            | <i>Enterococcus faecalis</i> - | <i>Shigella sonnei</i>             |
| <i>Enterobacter cloacae</i>    | * Vaccinia                          | Vancomycin Resistant           | <i>Salmonella schottmuelleri</i>   |
| <i>Klebsiella pneumoniae</i>   | * Adenovirus Type 4                 | <i>Streptococcus faecalis</i>  | <i>Trichophyton mentagrophytes</i> |
| <i>Proteus mirabilis</i>       | * Herpes Simplex Type 2             | <i>Staphylococcus aureus</i>   | <i>Candida albicans</i>            |
| <i>Shigella flexneri</i>       | * Rubella Virus, Vaccine Strain     | <i>Shigella dysenteria</i>     | <i>Aspergillus niger</i>           |

73-E

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
MAR 13 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 106-73



4/5

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if swallowed.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE: For institutional use only such as hospitals and nursing homes, schools and colleges, medical and dental offices, and veterinary clinics. This product is for use on floors, walls, mirrors, glass, metal surfaces, conductive flooring, painted surfaces, bowl surfaces, empty basins, noncritical medical devices, showers, and lavatory fixtures.


CLEANING AND DISINFECTING WASHABLE HARD NON-POROUS SURFACES:

Add one-half ounce of MAXIMA 256 to each gallon of water used. Always add MAXIMA 256 to premeasured water. Gently mix for a uniform solution. Apply solution by normal methods with brush, coarse spray devices, sponge, cloth or mop. Remove gross filth mechanically by sweeping before cleaning begins. Thoroughly wet all surfaces to be cleaned, then remove excess solution with a wrung out applicator. Treated surfaces should remain wet for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled. Rinsing is not necessary unless floors are to be waxed. MAXIMA 256 is a complete product. Do not add other chemicals. Use only as directed.

\* KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
MAR 13 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 106-73



**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**PERSONAL PROTECTION:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of MAXIMA 256. This pre-cleaning may be accomplished with any cleaning solution including MAXIMA 256.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surfaces wet for 4 minutes. This contact time will not control other common types of viruses and bacteria.

**TOILET BOWL/URINAL DISINFECTANT/CLEANER APPLICATION**

1. Add 0.5 oz. to the bowl (1.0 gal.) and mix. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

2. Empty toilet bowl or urinal and apply a 0.5 oz./gal. use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or mechanical spray. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

*This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.*

**STORAGE AND DISPOSAL**

*Do not contaminate water, food or feed by storage or disposal.  
Open dumping is prohibited.  
Do not reuse empty container.*

**PESTICIDE STORAGE:** Store in original container in areas inaccessible to small children. Keep container closed when not in use. Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 13 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 106-73

