

BEST AVAILABLE COPY

**BroadSpec 256** is a "one-step" concentrated multi-purpose germicidal detergent effective in hard waters up to 400 ppm hard water (calculated as CaCO<sub>3</sub>) in the presence of 5% organic serum. The activity of **BroadSpec 256** has been evaluated by the current A.O.A.C. use dilution test and found to be effective against the following pathogenic organisms:

Mycobacteria	Gram Positive	Gram Negative	Spore Forming
<i>Mycobacterium tuberculosis</i>	<i>Staphylococcus aureus</i>	<i>Escherichia coli</i>	<i>Bacillus anthracis</i>
<i>Mycobacterium fortuitum</i>	<i>Staphylococcus epidermidis</i>	<i>Salmonella typhi</i>	<i>Bacillus subtilis</i>
<i>Mycobacterium chelonae</i>	<i>Staphylococcus saprophyticus</i>	<i>Shigella flexneri</i>	<i>Bacillus pumilus</i>
<i>Mycobacterium goodii</i>	<i>Staphylococcus carnosus</i>	<i>Shigella sonnei</i>	<i>Bacillus cereus</i>
<i>Mycobacterium neoaurum</i>	<i>Staphylococcus sciuri</i>	<i>Shigella dysenteriae</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium thermophilus</i>	<i>Staphylococcus hyicus</i>	<i>Shigella sonnei</i>	<i>Bacillus thuringiensis</i>
<i>Mycobacterium abscessus</i>	<i>Staphylococcus aureus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium fortuitum</i>	<i>Staphylococcus epidermidis</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium chelonae</i>	<i>Staphylococcus saprophyticus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium goodii</i>	<i>Staphylococcus carnosus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium neoaurum</i>	<i>Staphylococcus sciuri</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium thermophilus</i>	<i>Staphylococcus hyicus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium abscessus</i>	<i>Staphylococcus aureus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium fortuitum</i>	<i>Staphylococcus epidermidis</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium chelonae</i>	<i>Staphylococcus saprophyticus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium goodii</i>	<i>Staphylococcus carnosus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium neoaurum</i>	<i>Staphylococcus sciuri</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium thermophilus</i>	<i>Staphylococcus hyicus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>
<i>Mycobacterium abscessus</i>	<i>Staphylococcus aureus</i>	<i>Shigella sonnei</i>	<i>Bacillus pasteurii</i>

**KILLS HIV 1 ON PRE-CLEANED ENVIRONMENTAL SURFACES OBJECTS PREVIOUSLY SOILED WITH BLOODY BODY FLUIDS** - BroadSpec 256 is effective against HIV 1 on pre-cleaned environmental surfaces and objects previously soiled with bloody body fluids. The activity of BroadSpec 256 against HIV 1 on pre-cleaned environmental surfaces and objects previously soiled with bloody body fluids can be demonstrated by the infectivity of the material after treatment with BroadSpec 256. The infectivity of the material is measured by the mean infectivity titer (MIT) of the material after treatment with BroadSpec 256.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV 1 OF SURFACES/OBJECTS SOILED WITH BLOODY BODY FLUIDS**

**PERSONAL PROTECTION** - Wear gloves and eye protection when cleaning and decontaminating surfaces and objects soiled with bloody body fluids. Avoid contact with eyes, nose, mouth, and skin.

**CLEANING PROCEDURE** - Clean the surface or object with a detergent solution. Rinse thoroughly with water. Apply BroadSpec 256 to the surface or object. Allow the solution to remain on the surface or object for the recommended contact time. Rinse thoroughly with water.

**DISPOSAL OF INFECTIOUS MATERIAL** - Treat and dispose of infectious material according to local, state, and federal regulations.

**CONTACT TIME** - Contact time with BroadSpec 256 solution is 10 minutes. Contact time with BroadSpec 256 solution is 10 minutes.

## BROADSPEC™ 256 GERMICIDAL DETERGENT

TUBERCULOCIDAL STAPHYLOCIDAL PSEUDOMONOCIDAL  
VIRICIDAL FUNGICIDAL

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

ACCEPTED  
RECOMMENDED  
NOV 6 1990

**I-CHEM LABORATORIES INC**

**DIRECTIONS**  
It is a violation of Federal Law to use this product if:  
**USES** Floors, walls, mirrors, glass, metal surfaces, basins, instruments, showers, and toilet fixtures. Schools and colleges, medical and dental offices, a  
**CLEANING AND DISINFECTING WASHABLE H. Spec 256** - 1 quart (1 gallon of water) of 1:500 solution. Apply solution by normal method with brush. Surfaces to be cleaned must remain wet for 10 minutes. For a greater effect, apply by wet-dry method. Rinse with fresh solution. Wash with plain water. Do not add other chemicals.

**HAZARDS TO HUMANS**

**KEEP OUT OF REACH OF CHILDREN** - Wear gloves and eye protection when cleaning and decontaminating surfaces and objects soiled with bloody body fluids. Avoid contact with eyes, nose, mouth, and skin.

**STATEMENT OF PRACTICAL TREATMENT** - For first aid, flush eyes with water for 15 minutes. For ingestion, drink water. For skin contact, wash with water. For eye contact, flush with water for 15 minutes. Call a physician immediately.

**NOTE TO PHYSICIAN** - Probable cause of poisoning. Storage

**PROHIBITIONS** - Do not contain in water. Do not use in water.

**PESTICIDE DISPOSAL** - Pesticides should only be disposed of in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act. Request EPA for guidance.

**CONTAINER DISPOSAL - PLASTIC CONTAINER** - Do not reuse. Do not dispose of in water. If ground, bury out of sight.

**GENERAL** - Read and follow label directions.