AL PROTECTION ATES ENVI

JENCY

Brulin&Co., Inc. 2920 Dr. andrew J. Brown Indianapolis, IN 46205

106 - 79

MAR 1 3 2001

Subject: Maxima 256 EPA Registration No. 106-79 Amendment dated January 16, 2001

UNITED

Berma L. Johnson Attn: Compliance/Regulatory Affairs Mgr.

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, provided you make the following changes to the label:

1. The "Statements of Practical Treatment" will need to be updated in accordance with PR Notice 2000-3. (For guidance"www.epa.gov/oppmsd1/PR_Notices/pr2000-3.pdf)

2. The Precautionary Statements will need to be updated according to the Label Manual 3rd Edition by stating:

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

3. Under the "Toilet Bowl/Urinal disinfectant/Cleaner Directions", add the statement: "Remove gross filth or heavy soil prior to application of product".

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the final printed label before this product is released for shipment.

CONCURRENCES				
SYMBOL 7510C				
SURNAME Z, ACKES				
DATE 3-6-01				
EPA Form 1220 1A (1/90)	Patrick - Density - D	OFFICIAL FILE COPY		

If you have any questions concerning the comments in this letter, you should contact Zenobia Jones at (703) 308-6198.

ŝ

Sincerely,

Velma MAG

Velma Noble Product Manager 31 Regulatory Management Branch 1 Antimicrobial Division (7510C)

(

BROADSPEC 256

GERMICIDAL DETERGENT

STAPHYLOCIDAL PSEUDOMONACIDAL VIRUCIDAL* FUNGICIDAL MILDEWCIDAL

ACTIVE INGREDIENTS:

Alkyl (C14, 50%; C12, 40%; C16, 10%)	
dimethyl benzyl ammonium chloride	5.63%
Octyl decyl dimethyl ammonium chloride	4.22%
Didecyl dimethyl ammonium chloride	2.85%
Dioctyl dimethyl ammonium chloride	2.11%
INERT INGREDIENTS:	. <u>85.19%</u>
	100.00%

DILUTION: 1 TO 256 ... ONE-HALF OUNCE PER GALLON

KEEP OUT OF REACH OF CHILDREN DANGER

See Side Panel for Statement of Practical Treatment and Additional Precautionary Statements

EPA Reg. No. 106-79

EPA Est. No. 106-IN-1

• • • • • •

NET CONTENTS 5 U.S. GALLONS

Manufactured and Sold By: BRULIN & COMPANY, INC.

HOME OFFICE/PLANT: P.O. Box 270 Indianapolis, IN 46206-0270 1-800-776-7149

INDIANAPOLIS IN TAMPA FL RICHMOND CA

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 1 3 2001

Under the Federal Insecticide, Pangicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 10.6 - 7.9

79-L 20 December 2000 **BROADSPEC 256** is a "one-step: Concentrated multi-purpose germicidal deterty of effective in nard waters up to 400" ppm hard water (calculated as CaCO₃) in the presence of 5% organic serum. The activity of **BROADSPEC 256** has been evaluated by the current AOAC use dilution test and found to be effective against the following pathogenic organisms:

Pseudomonas aeruginosa Staphylococcus aureus phage type 80 Salmonella typhi Staphylococcus aereus phage type 428/52/81 Salmonella choleraesuis Streptococcus pyogenes Enterobacter cloacae Klebsiella pneumoniae Proteus mirabilis Shigella flexneri Brevibacterium ammoniagenes Staphylococcus aureus (MRSA) Multiply (Methicillin)

- Resistant Clinical Isolate
- HIV-1 (AIDS Virus)
- * Adenovirus Type 2 * Herpes Simplex Type 1
- * Influenza Type A/Mich.
- * Vaccinia
- * Adenovirus Type 4
- * Herpes Simplex Type 2
- * Rubelta Virus, Vaccine Strain

* Avian Infectious Bronchitis * Avian Influenza A/Mich.

- Infectious Bovine Rhinotracheitis
- * Canine Distemper
- * Feline Leukemia
- Feline Picornavirus
 Streptococcus faecalis
 Staphylococcus aureus
 Shigella dysenteria
 Staphylococcus aureus
 phage type 81

Staphylotoccus epidermidis Enterobacter aerogenes Eschericha coli Serratia marcescens Proteus wigaris Shigella sonnei Salmonela schottmuereri Trichophyton mentagrophytes Candida abicans Aspergillus niger Poliovirus Type 1 Enterocottus faecalis – Vancomycin Resistant

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available. drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if swallowed.

ENVIRONMENTAL HAZARDS (Note: For five gallon or larger containers only)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE: For institutional and commercial use only such as hospitals and nursing homes, schools and colleges, medical and dental offices, barber/beauty shops, and veterinary clinics. This product is for use on floors, walks, mirrors, glass, metal surfaces, conductive flooring, painted surfaces, bowl surfaces, empty basins, non-critical medical devices, hair nail care instruments, showers, lavatory fixtures, tanning beds and other hard, nonporous surfaces. Use to clean and disinfect non-medical (i.e., industrial and fire-fighting) respirators in industrial, commercial and institutional premises.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LA	AS INSTRUCC	
DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTED with COMMENTS	•	((
in EPA Letter Dated:	· · ·	
MAR 1 3 2001	۴	
Under the Federal Insecticide,	н с с Ц А — — — — — — — — — — — — — — — — — — —	
Fungicide, and Rodenticide Act as	6 N	
amended, for the pesticide, registered under EPA Reg. No. $/06 - 79$	•	



This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that 1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or 2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enters normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

CLEANING AND DISINFECTING WASHABLE HARD NON-POROUS SURFACES:

Add one-half ounce of **BROADSPEC 256** to each gallon of water used. Always add **BROADSPEC 256** to premeasured water. Gently mix for a uniform solution. Apply solution by normal methods with brush, coarse spray devices, sponge, cloth, mop, or immersion. Thoroughly wet all surfaces to be cleaned. Treated surfaces should remain wet for 10 minutes. Remove gross soil mechanically before cleaning begins. Discard solution when it becomes dirty and replace with fresh solution. Rinsing is not necessary unless floors are to be waxed. BROADSPEC 256 is a complete product. Do not add other chemicals. Use only as directed.

*Kills HIV-1 on PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of **BROADSPEC 256**. This pre-cleaning may be accomplished with any cleaning solution including **BROADSPEC 256**.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surfaces wet for 4 minutes. This contact time will not control other common types of viruses and bacteria.

CLEANING AND DISINFECTING HARD NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS):

Preclean equipment if heavily soiled to ensure proper surface contact. Add one-half ounce of **BROADSPEC 256** to each gallon of water used. Always add **BROADSPEC 256** to premeasured water. Gently mix for a uniform solution. Apply solution to hard, non-porous surfaces of the respirator with brush, coarse spray device, sponge, cloth, or immersion. Thoroughly wet all surfaces to be disinfected. Treated surfaces should remain wet for 10 minutes. Remove excess solution from equipment prior to storage. Comply with all OSHA regulations for cleaning respiratory protection (29 CFR§1910.134)

TOILET BOWL/URINAL DISINFLCIANT/CLEANER APPLICATION

1. Add 0.5 millions to the howl (1.0 gar) and my Brush thoroughly over exposed surfaces and under the run allow to stand the 10 minutes and flush.

2. Empty toilet bowl or urinal and apply a 0.5 oz/gal. use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or mechanical spray. Brush thoroughly over exposed surfaces and under the rim, allow to stand for 10 minutes and flush.

ACCEPTED	e e	
with COMMENTS	· · · ·	
in EPA Letter Dated:		·
	4 A.F	
MAR 1 3 2001	٤	
Under the Federal Insecticide.		
Fangicide, and Rodenticide Act as		
amended, for the pesticide, registered under EPA Reg. No. 10.6 –	79	
	. ,	

STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE STORAGE: Store in original container in areas inaccessible to small children. Keep container closed when not in use. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 1 3 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. /06 - 79