

2,00 | 130234
17 2

SEP 20 1984

W. T. Rawleigh Company
223 East Main Street
Freeport, IL 61032

Attention: Dr. A. V. Subbaratnam

Gentlemen:

Subject: Rawleigh Insect Dust No. 2
EPA Registration No. 100-10
Your Application of August 8, 1984

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

The additional package size of one pound, packaged as described in your application, is acceptable.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

PHS
6

Enclosure

RD/IRB:GARDNER:DCR-05189:WANG-0456K:KIM:Raven:479-2013:8/29/84:Del.9/11/84

CONCURRENCES

SYMBOL ▶								
SUPNAME ▶								
DATE ▶								

INSECT DUST NO. 2

DIRECTIONS

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Sprinkle Rawleigh Insect Dust from sifter-top. Be sure to cover entire plant thoroughly and evenly — especially under leaves. Plants and fruits are not harmed by Rawleigh Insect Dust, nor does it injure the soil.

Dust as soon as the insects appear. Select a time when the air is calm and preferably when foliage is damp from rain or dew.

For killing and controlling many sucking and chewing insects. For complete list see the Dusting Chart on this package. Works by paralyzing insects upon contact or when eaten. Make sure dust comes in actual contact with the insect.

Ready to use. This dust is ready to use as it comes from package. Repeat as necessary to control worms or insects which hatch out after the first dusting. The number of applications depends upon the number of insects and whether or not they are migrating from other fields. Dust again as soon as they reappear.

Will Not Damage Tender Foliage

**POTENT—EFFICIENT
RELIABLE**

*An Economical Contact and
Stomach Insecticide*

CAUTION

**DO NOT APPLY THIS PRODUCT TO
FOOD CROPS WITHIN 1 DAY
OF HARVEST**

DUSTING CHART

INSECT	SPRING	SUMMER	FALL	WINTER
	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.
	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.

SEP 20 1924
Rawleigh
 SINCE 1889
A FRIEND OF THE FAMILY.

108-18

INSECT DUST NO. 2

ACTIVE INGREDIENTS

Rotenone 0.75%
 Other Ether Extractives of Cube
 a minimum of 1.15%
 Sulfur 2.92%

INERT INGREDIENTS

Total 94.98%
 (including sticking and wetting agent 0.50%
 other inert ingredients 94.48%)

KEEP OUT OF REACH OF CHILDREN
 STORE IN SECURE AREA

CAUTION

KEEP OUT OF REACH OF CHILDREN
 STORE IN SECURE AREA

Do not use on food crops within 1 day of harvest.

NET WT. 16 OZ. 1 LB.

DUST

INSECT	SPRING	SUMMER	FALL	WINTER
	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.
	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.
	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.	Apply to plants as soon as they appear. Repeat every 7-10 days.

THE W. T. I
 Freepo
 25040

UST

Rawleigh
 SINCE 1889
 A FRIEND OF THE FAMILY.

**INSECT
 DUST
 NO. 2**

ACTIVE INGREDIENTS

Permethrin 75
 Deltamethrin 24.5
 Cyfluthrin 2.5

INERT INGREDIENTS

44.49
 50
 44.49

EPA REG. NO. 108-18-AA
 EPA EST. NO. 10012-MN-1

CAUTION

KEEP OUT OF REACH OF CHILDREN
 STORE IN SECURE AREA

Do not reuse container. Wrap
 container and discard in trash.

NET WT 16 OZ (1 LB.)

DUSTING CHART Cont

INSECT	HOW TO USE	REMARKS
		
		
		
		

Distributed by
THE W T RAWLEIGH COMPANY
 Freeport, Illinois 61032 U S A

25040