

10-36

... ..  
... ..  
... ..  
... ..

DIRECTIONS

... ..  
... ..

... ..  
... ..

... ..  
... ..

... ..  
... ..

... ..  
... ..

... ..  
... ..

... ..  
... ..

23, 1968

105 16



**MALATHION  
INSECTICIDE**

**PIGS** - Lice, Fleas, Mites, etc. Apply to the body of the animal with a spray or dust. Repeat treatment as necessary.

**POULTRY** - Chickens, Ducks, Geese, Turkeys - Poultry Lice and Northern Fowl Mite. Direct application to the animal's body. Repeat treatment as necessary.

**Poultry Houses** - Northern Fowl Mite, Chicken Bed Mite and Poultry Lice. Direct application to the floor, walls, and adjacent areas by means of a spray or dust. Repeat as necessary.

**DOGS AND CATS** - Fleas. Apply to the body of the animal with a spray or dust. Repeat treatment as necessary.

**Animal Quarters** - Fleas, Lice, Mites, etc. Apply to the floor, walls, and adjacent areas by means of a spray or dust. Repeat as necessary.

**THOROUGH AND LONG KILL** - Direct application to the animal's body. Repeat treatment as necessary.

Manufactured by  
**RAWLEIGH COMPANY**  
 6-10-37

# MALATHION

# INSECTICIDE

## powdered

ACTIVE INGREDIENT		
Malathion*	5%	
INERT INGREDIENTS	95%	
*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate		

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
 Harmful if swallowed. Avoid prolonged breathing of dust. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Avoid contamination of food and feed.





## DIRECTIONS FOR VEGETABLE USE

Thorough, full-coverage applications should be made as needed. See below for

special directions. **FOR SMALL GARDEN USAGE.**

Interval  
(days) be-  
tween last  
application  
and harvest

PLANT	PEST	Interval (days) be- tween last application and harvest
<u>Asparagus</u>	<u>Asparagus Beetle, Thrips</u> Apply on foliage, repeat applications as necessary	1
<u>Beans</u>	<u>Mexican Bean Beetles, Leafhoppers, Spider Mites, Japanese Beetles, Aphids, Cucumber Beetles</u>	1
<u>Beets</u>	<u>Aphids</u>	7
<u>Broccoli</u>	<u>Aphids, Imported Cabbageworm</u>	3
<u>Cabbage</u>		7
<u>Kale</u>		7
<u>Turnip</u>		8
<u>Brussels Sprouts</u>	<u>Aphids, Caterpillars</u>	
<u>Carrots</u>	<u>Aphids, Leafhopper</u> Apply on foliage, repeat as necessary	
<u>Cauliflower</u>	<u>Aphids, Caterpillars</u>	
<u>Celery</u>	<u>Aphids, Spider Mite</u>	
<u>Cucumbers</u>	<u>Aphids, Spider Mites, Pickleworm</u> Repeat as necessary, do not apply to cucumbers unless plants are dry	1
<u>Eggplant</u>	<u>Aphids, Spider Mites, Leaf Miner</u>	1

Celery  
Cucumbers  
Eggplant  
Kohlrabi  
Lettuce  
Melon  
Peas  
Peppers  
Pumpkins  
Radishes  
Squash

Apples  
Pears  
Plums  
Raspberries  
Strawberries

Asparagus  
Beans  
Cauliflower  
Corn  
Cucumbers  
Eggplant  
Kohlrabi  
Lettuce  
Melon  
Peas  
Peppers  
Pumpkins  
Radishes  
Squash

Apples  
Pears  
Plums  
Raspberries  
Strawberries

Aphids  
Caterpillars  
Leafhoppers  
Lettuce  
Melon  
Peas  
Peppers  
Pumpkins  
Radishes  
Squash

Leafhoppers  
Aphids  
Caterpillars  
Lettuce  
Melon  
Peas  
Peppers  
Pumpkins  
Radishes  
Squash

Peas  
Peppers  
Pumpkins  
Radishes  
Squash

Peppers  
Pumpkins  
Radishes  
Squash

Pumpkins  
Radishes  
Squash

Radishes  
Squash

Squash

Squash