

PM 12 108-53

Mr. Groom® flea flee

7 DAY CONTROL

Controls Fleas and Ticks On Dogs and Cats

ACTIVE INGREDIENT: o-Isopropoxyphenyl methylcarbamate *0.280%.
INERT INGREDIENTS: 99.720%. This product contains the toxic inert ingredient Methylene Chloride
*SEDRAN-Reg U.S. Patent Office No. 3,111,539 by Farbenfabriken Bayer A.G., Chemagro Corporation, Licensee.
STATEMENT OF PRACTICAL TREATMENT: If swallowed or inhaled, seek medical attention; atropine sulfate is antidotal. If on skin, wash with soap and water. If in eyes, wash with plenty of water and seek medical attention.

KEEP OUT OF REACH OF CHILDREN

**CAUTION
CONTENTS UNDER PRESSURE**

See other precautions on back of can

NET WT. 11 OZ.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DO NOT ALLOW SPRAY TO GET INTO DOG'S EYES, NOSE, MOUTH OR ON SCROTUM.

Use sparingly on small animals. Not recommended for animals less than six months of age.

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Avoid contamination of foodstuffs.

KEEP OUT OF THE REACH OF CHILDREN. Active ingredient is a cholinesterase inhibitor—atropine sulfate is antidotal.

Child-Proof Cap. Grip cap on ridges with index finger and thumb. Hold firmly, squeeze cap and pull.

Remove cap and press down on button. Be sure spray is directed away from you. Hold approximately 6 to 8 inches away from dog. Brush animal's hair to a standing position (against grain) with one hand and follow closely with spray so that spray contacts the skin.

Work from hindquarters of dog to head. Keep spray moving constantly. Spray only long enough to dampen hair and skin. Wet ticks thoroughly.

Spray on a basis of 10 to 20 seconds application for a 15 pound animal. Repeat as necessary, but not more often than once weekly.

For more effective control of fleas and ticks, spray directly onto collar, bedding, interior of kennel and any cracks or crevices where fleas and ticks may be found.

STORAGE:

Store in secure area. Contents under pressure. Do not puncture. Keep away from heat, exposure to temperatures above 120° Fahrenheit may cause bursting.

DISPOSAL

Replace cap. Securely wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

EPA REG. NO. 108-53 EPA EST. 498-IL-1

Physician's Phone No. 815/235-6002

Distributed By

THE W.T. RAWLEIGH COMPANY

Chapin, SC 29036 USA

51180

MADE IN U.S.A.

ACCEPTED
FEB 17 1983
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide requires a label.
EPA Reg. N.

1901

9/88

8-2971