

**DIRECTIONS**

**MILK PLANT SANITIZATION WITH CHLOR-CLEAN**

**CLEANING EQUIPMENT** - Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**CHEESE PLANT SANITIZATION** - After cleaning and drying, wash with water, then with a 200 ppm solution of available chlorine. Rinse with water. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**BUTTER PLANT SANITIZATION** - After cleaning equipment, wash with water, then with a 200 ppm solution of available chlorine. Rinse with water. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**WATER TREATMENT** - Add Chlor-Clean to water at a rate of 100 ppm of available chlorine. Allow to stand for 30 minutes before use. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**FOOD PROCESSING PLANTS SANITIZATION WITH CHLOR-CLEAN**

**CLEANING EQUIPMENT** - Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**WATER TREATMENT** - Add Chlor-Clean to water at a rate of 100 ppm of available chlorine. Allow to stand for 30 minutes before use. Repeat the process if necessary. Wash with water, then with a 50 ppm solution of available chlorine. Rinse with water.

**MADISON**  
**CHLOR-CLEAN**

*Disinfectant and Germicide*

USDA Reg. No. 110-6

**MILK PLANTS • FOOD PROCESS PLANTS**  
**WATER TREATMENT • MOLD CONTROL**

ACTIVE INGREDIENT - Sodium Hypochlorite - 10.0%    INERT INGREDIENTS - 90.0%

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Irritating to eyes, skin and lungs.

**ANTIDOTE**

**EXTERNAL** - Wash with water.

**INTERNAL** - Drink molasses, raw egg white, milk or rice gruel.  
Follow with emetic (tablespoonful of mustard in glass of water).  
Call a Physician.

Do not mix Chlor-Clean with acid detergents. Use dilute solutions only as directed on label.  
**STORAGE** - DO NOT STORE Sodium Hypochlorite longer than 6 months from the date of manufacture.

**TABLE OF PROPORTIONS AVAILABLE CHLORINE**

5000 P.P.M. Use 20 cc in 3 gals. water	1000 P.P.M. Use 5 cc in 3 gals. water	500 P.P.M. Use 1 cc in 3 gals. water
500 P.P.M. Use 2 cc in 3 gals. water	200 P.P.M. Use 1 cc in 3 gals. water	50 P.P.M. Use 1/2 cc in 3 gals. water
5 P.P.M. Use 1 cc in 100 gals. water	Do not use Chlor-Clean solutions overnight. The strength of the solution is lost and the chlorine will evaporate.	

Manufactured Exclusively by:

**MADISON CHEMICAL COMPANY**

Madison, Indiana

**NET CONTENTS: 1 GALLON**

**ACCEPTED**

Sept 9, 1968

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 110-6 SUBJECT TO  
ATTACHED COMMENTS.

110-6

FOOD P...  
MOL...  
SUBJECT...  
and the spray...

INSTITUTION

Chlor-Clean...  
all surfaces...  
period of two...  
cut wood top...  
800 ppm of av...  
sites thoroughly

WATER

MUNICIPAL A...  
to chlor...  
50 ppm availa...  
be used to dete...  
ground. Test the

SWIMMING POOL

REGULATORY...  
Clear to main...  
and maintain...  
all times by u...  
line should be

BATHHOUSE

flooring boards...  
the line walk...  
with 500 ppm

See with 500

# MADISON CHLOR-CLEAN

*Disinfectant and Germicide*

USDA Reg. No. 110-6

MILK PLANTS • FOOD PROCESS PLANTS  
WATER TREATMENT • MOLD CONTROL

ACTIVE INGREDIENT - Sodium Hypochlorite - 10.0%    INERT INGREDIENTS - 90.0%

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
Irritating to eyes, skin and lungs.

## ANTIDOTE

**EXTERNAL** - Wash with water.

**INTERNAL** - Drink mucilage, raw egg white, milk or rice gruel.  
Follow with emetic (tablespoonful of mustard in glass of water).  
Call a Physician.

Do not mix Chlor-Clean with acid detergents. Use dilute solutions only as directed on label.

**STORAGE** - DO NOT STORE Sodium Hypochlorite longer than 6 months from the date of manufacture.

### TABLE OF PROPORTIONS - AVAILABLE CHLORINE

5000 P.P.M. Use 20 oz. in 3 gals. water	1000 P.P.M. Use 5 oz. in 4 gals. water	500 P.P.M. Use 1 oz. in 4 gal. water
500 P.P.M. Use 2 oz. in 3 gals. water	200 P.P.M. Use 1 oz. in 4 gals. water	50 P.P.M. Use 1 oz. in 4 gals. water
5 P.P.M. Use 1 oz. in 16 gal. water	Do not soak chlorine solutions overnight. In a dark place, in light and heat will reduce strength.	

Manufactured Exclusively by:

**MADISON CHEMICAL COMPANY**  
Madison, Indiana

NET CONTENTS: 1 GAL. 5 LBS.

ACCEPTED

Sept 9, 1968

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 110-6 SUBJECT  
TO ATTACHED COMMENTS.

**MOLD CONTROL WITH CHLOR-CLEAN**  
Chlor-Clean liquid sodium hypochlorite is an excellent mold control agent for food service equipment. Use in a 100 ppm solution on all surfaces and parts to be protected. The germicide is effective in a period of two minutes. Equally effective when used on wood and wood top tables, cutting blocks, steam tables, etc. Use 500 ppm of available chlorine. Always wear protective gear and thoroughly clean up.

**WATER TREATMENT WITH CHLOR-CLEAN**  
**MUNICIPAL AND FARM WATER SUPPLIES** - Chlor-Clean is used to disinfect water. There is a residual of Chlor-Clean in the water which kills bacteria. The amount of Chlor-Clean to determine the amount of available chlorine. Add Chlor-Clean to the water 10-20 minutes before adding. This will

**SWIMMING POOL DISINFECTION WITH CHLOR-CLEAN**  
Chlor-Clean is used to disinfect swimming pools. The amount of Chlor-Clean to determine the amount of available chlorine. Add Chlor-Clean to the water 10-20 minutes before adding. This will

**BATHING SANITIZATION WITH CHLOR-CLEAN**  
Chlor-Clean is used to disinfect bathing areas. The amount of Chlor-Clean to determine the amount of available chlorine. Add Chlor-Clean to the water 10-20 minutes before adding. This will

**DISINFECTANT WITH CHLOR-CLEAN**  
Chlor-Clean is used to disinfect surfaces. The amount of Chlor-Clean to determine the amount of available chlorine. Add Chlor-Clean to the water 10-20 minutes before adding. This will