

COMPOUND IDC-30

DISINFECTANT

For cleaning, disinfecting and sanitizing in hospitals,  
food plants, and institutional and commercial buildings.

ACTIVE INGREDIENTS:

a-(p-Nonylphenyl)-omega-hydroxypoly(oxyethylene)-iodine complex 16.05%  
(Providing 1.75% titratable iodine)

Phosphoric Acid 16.00%

INERT INGREDIENT

65.95%

Total 100.00%

Manufactured under the following U.S. Patents: 2,931,777  
2,977,315  
3,028,299

CAUTION: Keep out of the reach of children.  
See additional warnings on rear panel.

MANUFACTURED BY

Madison Chemical Company  
Madison, Indiana 47250

Net Contents: One U.S. Gallon

GERMICIDAL ACTION:

In use dilution, Compound IDC-30 Disinfectant kills bacteria, virus, molds and fungi responsible for Salmonella infections, poliomyelitis, tuberculosis, typhoid fever, diphtheria, staphylococcus and streptococcus infections, pneumonia and athlete's foot. It also destroys other pathogens on inanimate surfaces.

Compound IDC-30 Disinfectant has its own built-in indicator of germicidal activity. When the amber color disappears, a fresh solution should be prepared.

Compound IDC-30 Disinfectant is not adversely affected by water hardness or low temperatures.

## COMPOUND IDC-30

### DISINFECTANT

#### DIRECTIONS FOR USE:

1. For general cleaning and disinfecting in a single operation, use 3 ounces of Compound IDC-30 Disinfectant to 5 gallons of water. For porous or exceptionally dirty surfaces, use twice as much.

2. For sanitizing previously cleaned surfaces, use 1 ounce of Compound IDC-30 Disinfectant to 5 gallons of water.

#### HOSPITALS

Use as directed above in diet kitchens, cafeterias, morgues, animal rooms and cages, lavatories, laboratories, operating areas, patient rooms, beds, walls and floors; and in disinfecting thermometers, instruments, rubber gloves, tubing, catheters, etc., using a 5-minute contact time.

#### GENERAL HOUSEKEEPING AND INDUSTRIAL USE

Use as directed above for floors, walls, lavatories, shower rooms, kitchen areas, refuse containers, and lunch rooms.

#### FOOD PLANTS

To sanitize previously cleaned food processing equipment and utensils, use 1 ounce of Compound IDC-30 Disinfectant to 5 gallons of water. Drain, but do not rinse. Such use does not require a final potable water rinse, as prescribed in Federal Food Additive Regulation 121.2547.

#### WARNING

1. Avoid contamination of food.
2. Use of this product may cause skin irritation or damage to eyes. Avoid contact with skin and eyes. In case of contact, flush immediately with plenty of water. For eyes, get medical attention. Harmful if swallowed.

Lot No. \_\_\_\_\_

USDA Reg. No. \_\_\_\_\_