

[114-41]

DIRECTIONS FOR USE: Close all doors, windows and ventilators tightly. Plug all holes, cracks or openings in glass. Do not fumigate greenhouse if foliage of plants is wet. Maintain temperature of greenhouse between 70° to 80° F.

Place each SMOKE GENERATOR in the greenhouse walk upon a tin, brick or overturned flowerpot, keeping generators at least two feet away from plants. Remove cap and insert one of the enclosed ignitor strips in each generator to bottom of container, and light strip. Where the greenhouse being fumigated is large enough to require that generators be placed in more than one walk, it is recommended that one person be assigned to light the generators in each walk starting at the end farthest from the exit, so that the fumigation in each walk may start simultaneously and the persons exit from the house simultaneously. The PLANTFUME SMOKE GENERATOR will commence to smoke immediately and the dose will continue to smoke for several hours. It is recommended that the ventilators of the house be kept closed all night wherever possible to secure maximum killing effect of this application. Ventilate house thoroughly after fumigation, before permitting work to be done there. Ventilate at least two hours. Repeat fumigation every three days until greenhouse is absolutely clean, then fumigate as usual.

FOR USE ON GREENHOUSE ORNAMENTALS ONLY
DANGER: KEEP OUT OF REACH OF CHILDREN.
 SEE SIDE PANEL FOR ADDITIONAL WARNINGS

PLANTFUME 103
 Smoke Generator
 CONTAINS SULFOTEP



Active Ingredient—
 O. O. O. D-tetraethyl dithiopyrophosphate 45%
 Inactive Ingredient 85%
 100%

Treats 5,000 Cu. Ft.
 Net Weight — 1 3/4 ozs.

PLANT PRODUCTS CORPORATION

Blue Point, L. I., New York 11715
 USDA Reg. No. 114-41

Canadian Guarantee Statement
 Guarantee: "Effective for purposes claimed"
 Sulfotep — 2.5 gms in the smoke
 Reg. No. 3891 P.C.P. Act
 Distributed in Canada by:

Plant Products Corp., Ltd. — Port Credit, Ontario

INSECTS CONTROLED: ...
 (List of insects controlled)

WARNING: KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Avoid skin or eye contact with concentrate. Inhalation of dust or gas. Do not breathe dust or gas. Wear natural rubber gloves, protective clothing and goggles. Keep all unoperated parts out of operational area or vicinity. There may be danger until greenhouse has been thoroughly aired. Wear a mask or respirator of a type suitable for Sulfotep. See acceptable respirators published by the Dept. of Agriculture.

SYMPTOMS OF POISONING: Puffs of eyes, eye shrink to "pin-point" size. A sense of tightness in chest. Stomach pain, vomiting and diarrhea. Headaches.

ANTIDOTE: Internal — Give 1-2 teaspoons salt in a glass of warm water. No regard to vomit fluid is clear. Have patient lie down, keep warm and quiet. Call a physician immediately.

Note to Physician: Atropine is antidote. Administer to the point of tolerance. If strict return to normal, give artificial respiration. Give morphine.

NOTICE: Seller's Guarantee shall be void in terms of the label, and Seller's liability assumes any risk to person or property of the use or handling and acceptance of these conditions. (Not applicable in Canada)