

# Farm and Home Disinfectant

U.S. Pat. No. 2,445,745  
 2,445,746

For disinfecting hog and poultry houses, barns, dog kennels, feeders, waterers, incubators, other equipment.

**Active Ingredients:**

Coal Tar Phenols (Tar Acids)	14.0%
Neutral Coal Tar Oils	61.6%
Anhydrous Soap	14.4%

**Inert Ingredients** 10.0%

Phenol Coefficient A.C.A.C. Method  
 Salmonella typhosa - 6 minimum

**DANGER:**

Keep Out of Reach Of Children.  
 See back of panel for additional precautions and antidote statement.

Net Contents  
 32 fl. oz. (1 qt.)

**Hess & Clark, Inc.**

ASHLAND, OHIO 44810

**DIRECTION**

Best results will be obtained if used. Mix until solution becomes thick. **FOR DISINFECTING:**  
 HOG HOUSES SHEEP BARN  
 CATTLE BARN HORSE STABLE  
 Remove all litter bedding and droppings. Mix 1 gallon of Farm & Home Disinfectant with 4 gallons of water. Sprinkle all surfaces until thoroughly wet. Aid in the control of infectious disease organisms.

**DANGER: Do Not Use in Dairy Barns.**  
**FOR DISINFECTING POULTRY HOUSES:**  
 Remove all poultry and feed from coops or crates. Empty all trough feeding and watering appliances. Remove droppings from floors, walls and all occupied or traversed by poultry. For 100 sq. ft. of Farm & Home Disinfectant with 4 gallons of water. Sprinkle all surfaces thoroughly. After treatment, ventilate buildings and close spaces. Do not house poultry until they have been absorbed, set or dried.

**FOR DISINFECTING:**  
 FEEDERS WATERERS AND OTHER EQUIPMENT AND

Remove all dirt and manure. Mix Disinfectant with 4 gallons of water. Thoroughly wash treated feed racks, mangers, feeders, fountains and waterers. Scrubbed with detergents and water prior to reuse.

**DANGER:** May be fatal if swallowed through the skin. Call a physician immediately. Do not get in eyes, on skin, clothes or on clothing. May produce eye irritation. Flush thoroughly with plenty of water. Get medical attention. **DO NOT BREATHE SPRAY MIST.**  
**FIRST AID:** Internal - induce vomiting, down throat. External - wash with water. **DO NOT REUSE CONTAINER.** Rinse thoroughly with water and discard.

13-6

CHANGES ARE COSTLY Any Changes Will Require Additional Charges

CUSTOMER <b>DAVIES - HESS &amp; CLARK</b>	ORDER NO <b>1906</b>	STYLE <b>Qt. F</b>
-------------------------------------------	----------------------	--------------------

1906 (RED COLOR MATCH)  
 1907 (GREEN COLOR)

# Farm & Home Disinfectant

EPA Reg. No. 100-100000  
EPA Est. No. 100-100000

Dogs and poultry kennels, incubators.

Acids) ..... 14.0%  
..... 61.6%  
..... 14.4%  
..... 10.0%

AOAC Method  
6-6 - minimum

Use by Children.  
Additional precautions

Net Contents:  
32 fl. oz. (1 qt.)

Clark, Inc.

## DIRECTIONS

1. Remove all water from the area to be treated. Mix 1 pint of disinfectant with 4 gallons of water. Thoroughly scrub equipment. After treatment, ventilate buildings, coops and other closed spaces. Do not use poultry until treatment has been absorbed, set or dried.

**FOR DISINFECTING POULTRY PREMISES**  
Remove all poultry and feed from premises. Trucks, coops or crates. Empty all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. For general disinfecting, mix 1 pint of Farm & Home Disinfectant with 4 gallons of water (1 gallon to 4 gallons water) and spray or sprinkle all surfaces thoroughly.

After treatment, ventilate buildings, coops and other closed spaces. Do not use poultry until treatment has been absorbed, set or dried.

**FOR DISINFECTING WATERERS AND FEEDERS**  
Remove all dirt and manure. Mix 1 pint of Farm & Home Disinfectant with 4 gallons of water (1 gallon to 3 gallons of water). Thoroughly scrub equipment. After treatment, feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

**PRECAUTIONS**  
Do not breathe spray mist. May be fatal if swallowed or absorbed through the skin. Call a physician immediately if taken internally. Do not get in eyes, on skin, or on mucous membranes, or on clothing. May produce severe burns. For eyes, flush thoroughly with plenty of water and immediately get medical attention. Wash thoroughly after handling and keep container closed when not in use. **DO NOT BREATHE SPRAY MIST**  
First Aid: Internal: If swallowed, by running finger down throat. External: Wash with soap and water. **DO NOT REUSE CONTAINER**. Rinse empty container thoroughly with water and discard.

ACC  
10 SEP 1981  
134-6

DM 18

Printed in U.S.A.

± RED BLACK 10906B

CHANGES ARE COSTLY Any Changes Will Require Additional Charges

CUSTOMER <b>DAVIES-HESS + CLARK</b>	ORDER NO <b>1906</b>	STYLE <b>Qt. F</b>	DECO <b>PML</b>
-------------------------------------	----------------------	--------------------	-----------------