

HANDY
POURING
SPOUT

DIRECTIONS

CAUTION

WARFARIN

contains Warfarin and an
antibacterial agent.

100in

is manufactured under
license from the Wisconsin
State Alumni Research
Foundation.

15

Made in U.S.A.



Place 4 to 6 ounces of Warfarin in dry container next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 12 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or moldy baits with fresh bait.



MICE

Place tablespoonful amounts of Warfarin in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 12 days.

Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals, or cats, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin.

Warfarin contains warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats and mice. Warfarin also contains sulfaminoxaline, an antibacterial agent which inhibits bacteria that produce vitamin K, an antidote for warfarin.

ACCEPTED
134-38
JAN 5 1972
UNDER THE FEDERAL INSECTICIDE
ACT

Comments

WARFARAT

WITH *PROlin*
TO KILL RATS AND MICE

HANDY
POURING
SPOUT

USDA Reg. No.
134-38

the
health company

hess & clark

CAUTION

Protect children, cats and domestic animals from bait. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin.

Warfarat contains warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and, upon repeated feedings, causes fatal hemorrhage in rats and mice. Warfarat also contains sulfaquinolone, an antibacterial agent which inhibits bacteria which produce vitamin K, a substitute for warfarin.

WARFARAT

WITH
*PROlin**
TO KILL RATS AND MICE

ACTIVE INGREDIENTS:

Warfarin, 3-(4-acetylbenzyl)-4-hydroxycoumarin	0.025%
N-(2-quinoloxalyl) sulfanilamide (sulfquinolone)	0.025%

INERT INGREDIENTS

*Trademark of Wisconsin Alumni Research Foundation

NET CONTENTS 1 1/4 POUNDS

CAUTION: Keep out of reach of children. Read caution statement on side panel.

hess & clark, ashland, ohio 44805
division of rhodia inc.

WARFARAT

PROlin