

134-39

PM-16

12/28/89

191

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of mist. Avoid prolonged or repeated contact with skin. Wash thoroughly with soap and water after handling and before eating or smoking. Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed and away from heat, sparks and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SHAKE WELL

To Kill Poultry Lice and Chicken Red Mites: Remove manure or lime from roosts before using SIX. Flip open cap cover and product is ready to use. Finger pressure on sides of can creates a spray stream of liquid from the built-in squirt top. Point can opening in direction desired before squeezing.

Apply SIX as a roost paint at the rate of one pint per 150 feet of roost. Treat all possible roosting places. Complete control should be achieved within 4 days to a week. One treatment is usually sufficient. Examine a few birds 2 to 3 weeks after treatment and if any lice persist, make a second application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage — Keep container closed and away from heat, sparks and open flame. Store in original container only, in safe manner. Do not store under conditions which might adversely affect the container or its ability to function properly. Reduce stacking height where local conditions may affect package strength. Keep container tightly closed when not in use.

Spill Control — Soak up spills and leakage with a dry absorbent such as clay. Sweep it up, put into disposal containers and dispose as directed below. Use protective clothing and equipment consistent with good pesticide handling procedures while exposed to spilled material.

Pesticide Disposal — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GTT-18

SIX ROOST PAINT

For the control of lice and mites in poultry houses

Active Ingredients:

✓ Malathion 3%
O, O-dimethyl phosphorodithioate of diethyl mercaptosuccinate

Inert Ingredients:

Petroleum Hydrocarbons 97%

FOR AGRICULTURAL USE ONLY 100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING; vomiting may cause aspiration pneumonia. (Contains petroleum distillates.)
If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.
If on skin—Remove contaminated clothing and wash affected areas with soap and water.
If in eyes—Flush eyes with plenty of water. Call a physician immediately.

See back panel for additional precautionary statements.

Hess & Clark, Inc.

ASHLAND OHIO 44805

EPA Reg No 134-39
EPA Est. 134-OH-1

Net Contents:
1 qt. (946 mL)

RECEIVED
APR 10 1989
134-39