




8 POUNDS NET

E.P.A. Reg. No. 134-50



DRYCID

formulated with TOXAPHENE

**KILLS
LICE,
TICKS
and
HORN
FLIES**

May be harmful if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. Avoid contact with skin. Wash thoroughly after using. Do not reuse container — destroy when empty.

- apply to dairy animals, store near feed and food products.
- use on animals within 28 days of slaughter.
- use on poultry or poultry houses, only as specified on the label.
- contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and containers. This product is toxic to fish and wildlife.
- breathing dust.

Internal — 15 cc. sodium chloride 15 g. dissolved in 100 cc. of water. 10 g. dissolved in 100 cc. of warm water.
External — Wash with soap and water.

For Control of Lice and Ticks

To control lice, apply lightly to hogs and bedding, taking care to avoid accumulation on slats or floors where product might be accidentally consumed by hogs. Do not apply to sows within one week of farrowing or while nursing pigs. Repeat treatment if needed.

To control horn flies, lice and ticks, dust animals lightly, rubbin... dust thoroughly into hair. Repeat treatment as needed.

To control lice and ticks, dust animals thoroughly, preferably after shearing. Repeat if needed.

Avoid excessive use on all animals.

ACTIVE INGREDIENTS	
Toxaphene (Technical Chlorinated Camphene)	5
Containing 67% to 69% Chlorine	
INERT INGREDIENTS	95

hess & clark the health company
hess & clark, ashland, ohio 44815