



HORN FLY



STABLE FLY



FACE FLY



HOUSE FLY



NET CONTENTS
1 GALLON

REG. USDA
NO. 134-54

GENERAL DIRECTIONS

BEEF & DAIRY SPRAY is a specially prepared ready-to-use insecticide suitable for use in conventional hand, power or automatic spray equipment and in backrubbers. BEEF & DAIRY SPRAY is approved for use in lactating dairy animals. No feed-off period is necessary when used on beef animals.

Apply with hand, power or automatic equipment to moisten the hair only and not in excess of 2 fluid ounces daily per animal. Do not wet the skin due to possible skin irritations. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

DIRECTIONS

TO KILL STABLE FLIES, HORN FLIES, HOUSE FLIES, AND FACE FLIES ON DAIRY AND BEEF CATTLE: Apply as a fine mist to all parts of the animal including legs, using one or two fluid ounces of spray per animal. The first week, apply daily. Thereafter, apply as necessary to maintain control.

FOR LICE CONTROL IN DAIRY AND BEEF CATTLE: Make 1-2 applications of 3-3 ounces of BEEF & DAIRY SPRAY at 14 day intervals as a fine mist spray to thoroughly cover all parts of the animal. If material is applied by fogging or misting equipment, the maximum spraying time per animal is 20 seconds.

BACK AND FACE RUBBERS: To control horn flies and face flies use BEEF & DAIRY SPRAY in backrubbers and facerubbers. Use 1 gallon for each 20 linear feet of burlap backrubber. For automatic backrubbers, recharge the reservoir as needed. Animals must rub face on rubbers for face fly control.

BEEF & DAIRY SPRAY

CONTAINS
Ciodrin and Vapona
INSECTICIDES

CONTROLS STABLE FLIES, HORN FLIES, HOUSE FLIES, FACE FLIES and LICE on DAIRY CATTLE and BEEF CATTLE

ACTIVE INGREDIENTS	By Weight
Dimethyl Phosphate of Alpha-Methylbenzyl 3-Hydroxy-cis-crotonate.....	1.00%
2,2-Dichlorovinyl Dimethyl Phosphate.....	0.23%
Related Compounds.....	0.02%
Petroleum Hydrocarbons.....	98.52%
INERT INGREDIENTS.....	0.23%
	Total 100.00%

Ciodrin Insecticide
Equivalent to 0.25 Vapona Insecticide

Formulation by
SHELL CHEMICAL COMPANY, Agricultural Chemicals Division

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ CAUTION STATEMENT ON SIDE PANEL**

hess & clark, ashland, ohio 44805
division of richardson-merrell inc.

CAUTION

Avoid prolonged or repeated inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.** Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is anticholinergic. 2-PAM is also anticholinergic and may be administered in conjunction with atropine.

NOTICE OF WARRANTY

HESS & CLARK MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

A 1980 SHELL WORLD BRAND