PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS

Г

CAUTION Hazardous if swallowed, inhaled or absorbed through skin.

Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. Do not treat animals within one day of slaughter. Do not apply dermally in combination with trichlorion. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates. Do not apply to calves under 6 months of age. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR **CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal law to use this product 3 a manner inconsistent with its labeling.

FOR AGRICULTURAL USE ONLY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed Ly storage or disposal.

STORAGE: DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Sublitie C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

CONTROLS STABLE FLIES, HORN FLIES, HOUSE FLIES, FACE FLIES and LICE on DAIRY CATTLE and BEEF CATTLE

By Weight

ACTIVE INGREDIENTS	By Weight
Dimethyl phosphate of Alpha-Methylbenzyl	4 8 9 4
3-Hydroxy-cis-crotonate	1.00%
2,2-Dichlorovinyl Dimethyl Phosphate	0.23%
Related Compounds	
Petroleum Hydrocarbons	
INERT INGREDIENTS	0.27%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If smallowed-Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOM-ITING: vomiting may cause aspiration poeumonia.
If inhaled Remove victim to fresh air. Apply artificial respiration if indicated.
If en skin Remove contaminated clothing and wash affected areas with soap and water

water.

If in eyes -Flush eyes with plenty of water. Call a physician immediately. See side panel for additional precautionary statements.

Hess & Clark, Inc.

ASHLAND, OHIO 44805

Net Contents: 5 gal. (19 L)

EPA EST. NO. 134-OH-1 EPA REG. NO. 134-54

BEEF & [ready-toconventic equipmer DAIRY SF dairy anir

(DIR:

Apply wil ment to i cess of 2 wet the sl

TO KILL FLIES, AN CATTLE: A animal in ounces o apply dai maintain

FOR LICE Make 1-1 BEEF & I fine mist the anima misting (time per

BACK ANI and face backrubi for each For auto servoir a: rubbers 1

HESS & OF MEF ANY P PRESSE product the use conditic ments n

(DIRECTIONS FOR USE continued)

BEEF & DAIRY SPRAY is a specially prepared ready-to-use insecticide suitable for use in conventionat hand, power or automatic spray equipment • and in • backrubbers. • BEEF & DAIRY SPRAY is approved for use on lactating dairy animals.

Apply with hand, power or automatic equipment to moisten the hair only and not in excess of 2 fluid ounces daily per animal. Do not wet the skin due to possible skin irritations.

TO KILL STABLE FLIES, HORN FLIES, HOUSE FLIES, AND FACE FLIES ON DAIRY AND BEEF CATTLE: Apply as a fine mist to all parts of the animal including legs, using one or two fluid ounces of spray per animal. The first week, apply daily. Thereafter, apply as necessary to maintain control.

FOR LICE CONTROL IN DAIRY AND BEEF CATTLE: Make 1-2 applications of 3-3½ ounces of BEEF & DAIRY SPRAY at 14-day intervals as fine mist spray to thoroughly cover all parts of the animal. If material is applied by fogging or misting equipment, the maximum spraying time per animal is 20 seconds.

BACK AND FACE RUBBERS: To control horn flies and face flies use BEEF & DAIRY SPRAY in backrubbers and facerubbers. Use 1 gallon for each 20 linear feet of burlap backrubber. For automatic backrubbers, recharge the reservoir as needed. Animals must rub face on rubbers for face fly control.

NOTICE OF WARRANTY

HESS & CLARK MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE EX-PRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

GTN-45

CONTROLS

STABLE FLIES, HORN FLIES, **HOUSE FLIES, FACE FLIES and LICE** on DAIRY CATTLE and BEEF CATTLE

ACTIVE INGREDIENTS	By Weight
Dimethyl phosphate of Alpha-Methylbenzyl	
3-Hydroxy-cis-crotenate	1.00%
2,2-Dichlorovinyl Dimethyl Phosphate	0.23%
Related Compounds	
Petroleum Hydrocarbons	98.48%
INERT INGREDIÉNTS	
Total	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOM-ITING: vomiting may cause aspiration pneumonia.
If inhaled –Remove victim to fresh air. Apply artificial respiration if indicated.
If on skin –Remove contaminated clothing and wash affected areas with soap and water.

water

W in eyes -- Flush eyes with plenty of water. Call a physician immediately. See side panel for additional precautionary statements.

Hess & Clark, Inc.

ASHLAND, OHIO 44805

Net Contents: 5 gal. (19 L)

EPA EST. NO. 134-OH-1 EPA REG. NO. 134-54

alves lotal. ninis-DS

ITS

d or

after). Do s Do ;hter.

• with ot be

ity to

Г

other and aning

eat or

is product ling.

)NLY

ĺ ld pà DR 🛛

[pr**ay** used t be oved t the) (or ;of in

state

うちゃくちゃう となるをおうとう 思想を見てきたないのであったいろう

A. 2. . .

Ì,

FDSL

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

DEC 3 1982

Hess & Clark, Inc. 7th and Orange Sts. Ashland, OH 44805-1799

Attn: Mr. D. Keith Ballantyne

Dear Mr. Ballantyne:

Subject: Update Labeling, Alternate Suppliers Beef & Dairy Spray EPA Reg. No: 134-54 Your Letter: August 20, 1982

The labeling referred to above, submitted in connection with amended registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, subject to the following comments, and a stamped copy is enclosed for your records.

Beiss to Mackedon, this produce the solling label charge

1. Move "FOR AGRICULTURAL USE ONLY" to the front panel.

2. Delete "GENERAL CLASSIFICATION" since this active ingredient/site/pest combination has not as yet been classified.

The amendment including alternate suppliers for the subject product registration is acceptable and the submitted information has been added to the subject file.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES