

PM 17 134-55

26553 132
13455
300
27 / 25

AUG 31 1990

Mr. D. Keith Ballantyne
Hess & Clark, Inc.
7th & Orange Street
Ashland, OH 44805

Dear Mr. Ballantyne:

Subject: Fly Spray
EPA Registration No. 134-55

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Phil Hatton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51294:I:Hollis:LH-16:KENCO:08/07/90:09/06/90:DD:VO:EK:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or inhaled. Wash thoroughly with soap and water after using and before eating or smoking. Do not wet the skin of dairy animal or apply more than two fluid ounces of spray to an animal at one time. Do not use on pets.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water when disposing of equipment washwaters. Do not use on plants.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLY SPRAY contains pyrethrins, combined with piperonyl butoxide to give a potent fly-killing agent. When used according to directions, it kills flies and mosquitoes. FLY SPRAY contains a lighter-base oil allowing it to cover more area, do a superior job.

TO KILL FLIES ON MILK COWS AND BEEF ANIMALS: Use a sprayer which throws a fine mist. Spray no more than two fluid ounces on each animal morning and night, or spray until a fine dew appears on the ends of the hair. Avoid wetting coat with any oil spray. Make sure belly and legs are thoroughly covered.

TO KILL FLIES IN STABLES AND OTHER BUILDINGS: Use a sprayer which throws a high volume of fine spray. Close all doors and windows. Make sure that no open milk containers are exposed. Spray upward so as to create a fine mist. Leave the room closed for 5 or 10 minutes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage — Do not pour or use near open flame or inside dwellings. Store in original container only, in safe manner. Do not store under conditions which might adversely affect the container or its ability to function properly. Reduce stacking height where heat conditions can affect package strength. Keep container tightly closed when not in use.

Spill Control — Soak up spills and leakage in a dry absorbent such as clay. Sweep it up, put into disposal containers and dispose as directed below. Use protective clothing and equipment consistent with good pesticide handling procedures while exposed to spilled material.

Pesticide Disposal — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal — Triple rinse (or equivalent) when offer to recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

134-55

FLY SPRAY

Active Ingredients

Technical Piperonyl
Pyrethrins

Inert Ingredients

Petroleum Distillate

*Equivalent to 0.24% of (b) and 0.06% of related comp.

FOR AGRICULTURE

**KEEP OUT OF
CHILDRENS REACH**

STATEMENT OF

If swallowed — Call a physician or Poison Control Center. If material was taken internally DO NOT induce vomiting. (Contains petroleum distillate.)
If inhaled — Remove victim to fresh air. If necessary, call a physician.
If on skin — Remove contaminated clothing. Wash skin with plenty of water.
If in eyes — Flush eyes with plenty of water.

See back panel for additional information.

Formulated by

Hess & Clark
ASHLAND, OHIO 44805

EPA Reg. No. 134-55
EPA Est. No. 134-041