PM-31

Rog # 134-65

DC&R Disinfectant

KEEP OUT OF REACH OF CHILDREN DANGER

Precautionary Statements

Hazards to Humans and Domestic Animals

Danger: Causes severe eye irritation. Wear goggles or face shield. Causes skin irritation. Harmful if inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Handlers must wear long-sleeved shirts and long pants, chemical-resistant rubber gloves, shoes and socks. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not use on animals.


Statement of Practical Treatment

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention.

KEEP FROM FREEZING

Hess & Clark, Inc. Ashland, Ohio 44805



Net Contents. 1 gallon (3.785 inters)

EPA Reg. No 134-65 EPA Est. No 134-OH-1 Vapor-Phase Surface Disinfectant containing 2-(Hydroxymethyl)-2-Nitro-1. 3-Propanedio, Which Slowly Decomposes Yielding Formaldehyde

and the second state of the second state of the second state of the

Directions For Use

-

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

DC&R's germicidal activity against both gram positive and gram negative animal pathogens makes it an excellent product for use in farm buildings (including all livestock and poultry houses), calf hutches, hatcheries, and on equipment used for poultry and livestock production. DC&R is especially suited for equipment which may harbor or spread disease germs within the farm operation or to other farms.

For use on non-porous surfaces such as walls and floors, including metal, stainless steel and plastic surfaces. Dilute DC&R Disinfectant at the rate of one ounce per gallo \hat{n} of water (1:128). Use as follows:

FARM BUILDINGS, LIVESTOCK AND POULTRY HOUSES, CALF HUTCHES, HATCHERIES

Do not use in milking stalls, milking parlors, or milk houses.

Remove all livestock, poultry, eggs, chicks or poults, and feed from buildings, vehicles, coops. crates, and enclosures. Remove all litter, manure, and droppings from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the recommended solution of DC&R Disinfectant and allow to remain in contact with surfaces for ten minutes.

Ventilate buildings, coops, trucks and other closed spaces. Do not house poultry or livestock, introduce eggs, chicks or poults, or employ equipment until treatment has been absorbed, set or dried.

EQUIPMENT

Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the recommended solution of DC&R Disinfectant and allow to remain in contact with surfaces for ten minutes.

Thoroughly scrub all treated feed racks, mangers, troughs, automatic feed ers, fountains and watercress with soap or detergent, and rinks with potable water prior to reuse, while COMPLENTS SUP AT 175

1.4

1.64.41.22

134 6.5

STORAGE AND DISPOSAL

20.24

STORAGE

Do not contaminate water, food or feed by storage.

KEEP UPRIGHT WHILE MOVING AND IN STORAGE. Container equipped with a pressure relief closure. KEEP FROM FREEZING. Store in original container only, in safe manner. Do not store under conditions which might adversely affect the container or its ability to function properly. Reduce stacking height where local conditions can affect package strength. Open container in a well ventilated area, avoid breathing vapor. Keep container tightly closed when not in use.

SPILL CONTROL

Soak up spill in a dry absorbent such as clay. Sweep it up, put into disposal containers and dispose as directed below. Wear protective clothing and equipment consistent with good pesticide handling procedures while exposed to spilled material.

PESTICIDE DISPOSAL

Do not contaminate water, food or feed by disposal.

Pesticide wastes are acutely hazardous.Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

े रोगरा हुइन १९७१ :Ce I Fure miles and an a that the set 198 and by the second second DERINGTER COMPANY FOR STREET

ACCEPTED Tradat H. Pr Ended the fact 43 21 a di Bar 1.141 LPA BUS INS

í , -