

NET CONTENTS



GALLON

EPA

41775

PYRTOX CONTACT SPRAY

CAUTION Keep Out of Reach of Children
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

Contains PYRENONE*

ACTIVE INGREDIENTS		100%
Pyrethrins	0.15%	
Technical piperonyl butoxide**	1.50%	
Petroleum distillate	98.35%	
*Reg. Trade Mark Fairfield Chem. Div. F.M.C.		
**1% (butylcarbityl)(6-propylpiperonyl) ether 0.3% related compounds.		

EPA Reg. No. 148-125

ACCEPTED

APR 29 1975

Under the Federal Insecticide
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 148-125



HILLERSON HAYWARD
CHEMICAL COMPANY

P.O. BOX 238 KANSAS CITY, KANSAS 64101

Kills exposed stages of granary weevil, rice weevil, cadelle, confused flour beetle, saw toothed grain beetle, angoumois grain moth, Indian meal moth.

- Mills
- Elevators
- Terminals
- Flat Storage
- Warehouses
- Boxcars
- Farm Storage
- Feed Stores
- Seed Stores

Can be used in food processing plants, bakeries, creameries, dairies, hotels and homes.

DIRECTIONS

BEFORE USE READ DIRECTIONS, CAUTION AND NOTICE STATEMENTS CAREFULLY.

FOR INDOOR USE ONLY.

PYRTOX CONTACT SPRAY is an insecticide for use in households, grain elevators, flour mills and food processing plants. When properly used PYRTOX CONTACT SPRAY will control grain mites, silverfish, roaches, granary weevil, rice weevil, cadelle, confused flour beetle, saw toothed grain beetle, angoumois grain moth, and Indian meal moth that infest food processing establishments. Before spraying thoroughly clean areas to be treated. Applications should be made to exposed stages of insects to insure best results.

HOME USE: Dispose of all infested products. The shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using.

COMMERCIAL AND INDUSTRIAL: Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose. To kill accessible stages of these pests, liberally spray around and under pallets so as to directly contact the pests with spray.

EPA

41775

DIRECTIONS—Continued

SPACE SPRAY: To control flies, gnats, mosquitoes close doors and windows before spraying. Apply 1 gallon of Pyrtex Contact Spray per 50,000 cubic feet of space, allowing doors to remain closed for at least 15 to 20 minutes after treatment. Repeat as required for continued control.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation. Turn out all open flames (including pilot lights), cover or wash household utensils, evacuate pets and plants.

CAUTION

Do not apply directly to food products. Avoid inhalation of spray mist, contact with skin or eyes. Do not pour, spray or store near fire or flame. Harmful if swallowed. Keep away from children. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

Do not reuse container. Destroy when empty.

Remove pets, birds and cover fish aquariums before spraying.

Do not remain in treated areas. Ventilate the area after treatment is completed.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.