

DIRECTIONS—Continued

below the top of the footing. Prepare a 5% penta solution by diluting 1 gallon of Permagard Concentrate No. 10 with 10 gallons of kerosene, fuel oil or other suitable oil and apply 1 gallon of this diluted solution to each lineal foot of trench, making application of 1/2 the dosage to the bottom of the trench and 1/2 to the refill. Do not use within 10 feet of shrubs or ornamentals. For protection against termites, treat wood prior to construction. Wood should be treated after all cuts are made and before use in the structure. The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

WEED KILLING: As an effective general contact herbicide to be used in ever-waste areas around buildings, along paths and roadway, and similar areas. To kill most grasses and broad-leaved weeds, dilute 1 to 2 quarts Permagard Concentrate No. 10 with 10 gallons of water and diesel fuel for fuel oil, and spray to thoroughly wet vegetation to be killed. Retreat surviving vegetation. Do not apply to areas underlain by roots of large trees or shrubs.

WARNING

Harmful or fatal if inhaled or swallowed or absorbed through the skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. In case of contact with the skin, wash with soap and warm water. Prevent contact of this liquid with the eyes. If splattered in the eyes, immediately wash with water. Call a physician. Avoid breathing vapor, fumes or spray mist. Do not use on wood that will come in contact with desirable plants or for soil poisoning within 10 feet of shrubs or ornamentals. Causes skin irritation. Wash thoroughly after handling. Wear protecting clothing and rubber gloves when handling treated lumber. This product is toxic to fish and wildlife. Keep out of lakes, streams, ponds. Apply the product as specified on this label. Do not contaminate water, food, or feed by storage or disposal.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.



**PERMAGARD
CONCENTRATE
No. 10**

WARNING Keep Out of Reach of Children

See Side Panel for Additional Precautions

**TECHNICAL PENTACHLOROPHENOL
4 POUNDS PER GALLON**

100% Net Wt. Pure Penta. Store Near Heat or Over Fire.

ACTIVE INGREDIENTS

Technical Pentachlorophenol 4.00

INERT INGREDIENTS

Technical Pentachlorophenol as described in Federal Specification TT-W-570 EPA Reg. No. 148-186 SG 3-74-A



**THOMPSON-HAYWARD
CHEMICAL COMPANY**

P.O. BOX 2383, KANSAS CITY, KANSAS 66110

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water in some location where flush water can be run off harmlessly. Then punch container full of holes or crush so that it cannot be used again for any purpose. Take to city dump or some other type location where an attempt will be made to salvage for any use whatsoever.

DIRECTIONS

BEFORE USE READ CAUTION AND WARRANTY STATEMENTS CAREFULLY

Permagard Concentrate No. 10 is especially designed for the preparation of a solution for treating wood and wood products to protect them against termites, rot, decay, and wood-boring fungi. It is also used to protect wood from termites and is widely used for general contact weed killing.

WOOD TREATMENT: Before use dilute 1 gallon Permagard Concentrate No. 10 with 10 gallons of suitable fuel oil such as kerosene, fuel oil or mineral spirits. Fence post pickets and rails, shingle the face of bark, dry and well seasoned and be applied in this solution for 12 to 48 hours for efficient penetration. To treat lumber, framing and general repair, apply by dipping, brushing, spraying or spraying. Promptly wash off from 3 to 30 minutes depending upon the type of wood treated and the agent with which it is combined. The solution should be used when applied by brush or spray.

For general work with a sprayer, dilute 1 gallon of the 5% penta solution per 100 board feet. When treating existing structures, two applications are usually preferred. The first is a general surface treatment and the second is a penetrating treatment. The second application should be made with minimum penetration. Start at the top and work down the vertical to escape rot after treatment. The interval between applications is dependent upon the temperature and humidity of the air and the nature and pressure of the wind at the time.

SOIL TREATMENT: Apply with hose or sprayer for termite protection around foundation, pillars, and other areas to be protected to a depth of 2 feet. For deep foundation, use a trench 30 inches deep. Do not