



**KILLS ALL STAGES:** Granary Weevil, Rice Weevil, Lesser Grain Borer, Angoumois Grain Moth, Indian Meal Moth, Sawtooth Grain Beetle, Mediterranean Flour Moth, Confused Flour Beetle, Black Carpet Beetle, Cadelle.


**DIRECTIONS**

Apply Spot Fumigant at monthly intervals to mill machinery. Prior to treatment, mills should be run dry, stockings on all sifters should be sealed. Treat sifters during repair operations. After the sieve cloths have been repaired, but before they are replaced, pour 1/2 pint of Spot Fumigant into each dead outlet.

**MONTHLY TREATMENT**

Machinery	Application Point	Rate
Elevator Boots	Through hole drilled in boot	3/8 pt. each
Reel and Purifier Conveyors	Pour along entire length	3/8 pt. each
Conveyors	Over entire length	1/2 pt. per 6 ft. of length
Empty Bins	Inside bin near top	2 pts. per 500 ft. capacity
Dust Trunks		3/4 pt. per trunk
Bran and Shorts Dusters	Hand hole at top or any opening	3/4 pt. each
Spouts	Into hand slides	2 oz. each
Rolls	Into Spouts above	3/8 pt. each

# SPOT FUMIGANT



**POISON**



**DANGER**

**KEEP OUT OF REACH OF CHILDREN.**

SEE ANTIDOTE STATEMENT AND OTHER WARNINGS ON THE SIDE PANELS.

**"CLASSIFIED BY UNDERWRITERS' LABORATORIES, INC. AS TO FIRE HAZARD ONLY. SPOT FUMIGANT, CLASSIFIED AS NONFLAMMABLE. SEE UL CLASSIFIED PRODUCTS INDEX 101S".**

**BEFORE USE READ WARNING AND NOTICE STATEMENTS CAREFULLY**

**ACTIVE INGREDIENTS**

	By Weight	By Volume
Carbon tetrachloride	59.9%	60%
Ethylene dichloride	19.6%	25%
Ethylene dibromide	20.5%	15%

U. S. PATENT No. 2391890

EPA Reg. No. 145-195

CG-10-74

EPA Est. No. 34305-KS-1

Spot Fumigant is composed of highly volatile materials which form toxic gasses. For maximum effectiveness, tightly seal bins, boxcars and other areas to be treated. After exposure, air the enclosures for at least 24 hours. Temperatures of 80° F. or above are optimum for fumigation.

**DANGER:** Hazardous vapor. Do not breathe vapor. May be fatal if swallowed or inhaled. Wear a gas mask approved by U. S. Bureau of Mines for protection against organic vapors. Do not get in eyes or on skin or clothing. Wash thoroughly with soap and water after any contact. For eyes, get prompt medical attention.

Store in tightly closed containers, in a cool location. Do not enter any treated structure until it has been aired for at least 24 hours. Do not feed treated feed or grain to livestock, until it has been aired enough to remove all fumigant odor. Do not use as a contact spray or to fumigate flour. Misuse as to quantity, timing or method of application can cause damage or injury to animals persons, property or crops or cause residue in excess of official tolerances.

**KEEP AWAY FROM HEAT AND OPEN FLAME.**

**EMERGENCY TREATMENT**

**Illness from breathing vapors:** Remove to fresh air. Call a physician at once. Keep patient warm and quiet. If breathing stops, apply artificial respiration.

**Illness from swallowing liquids:** Call a physician at once. Induce vomiting by giving 2 tablespoons salt in a glass of warm water.

**NOTICE**

**Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label.**