

Apply by means of efficient ground dust machine or aircraft, being careful to obtain uniform adequate coverage.

BOLL WEEVIL: Use 10 to 30 pounds per acre for each application: In areas where weevils are present regularly, pre-square treatment consisting of two applications at 7 to 10 day intervals, beginning when cotton first starts fruiting, is recommended. In mid-season, before peak fruiting period, begin treatment after 25% of squares are punctured. Continue dusting at 5 day intervals until control is effected. Resume treatment if insects reappear. Make no application nearer than 7 days before harvest.

OTHER INSECTS: For the control of desert spider mite, cotton aphid, leafhopper, white flies, brown cotton leafworm, cotton leaf perforator, cotton leafworm, thrips and lygus bug, use 10 to 15 pounds of Cotton Dust 10-0-0 per acre. Make repeat applications as needed. Consult State Agriculture Extension Service for exact time of application. Make no application nearer than 7 days before harvest.

CAUTION

Avoid breathing of dust or spray mist. Avoid contact with skin: wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or cause residues in excess of official tolerances.

This product is toxic to fish. Keep out of lakes, streams, and ponds,

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

COTTON DUST

10 — 0 — 0

MALATHION

CAUTION Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

ACTIVE INGREDIENT:

Malathion* 10%

INERT INGREDIENTS


90%

100%

*O, O-dimethyl dithiophosphate of d-ethyl mercaptosuccinate

EPA Reg. No. 148-394

SG-4-73-A



**THOMPSON-HAYWARD
CHEMICAL COMPANY**

P O BOX 2383, KANSAS CITY, KANSAS 66110

9-20-73