LIVESTOCK SPRAY AND DIP

KILLS RESISTANT AND HARD-TO-KILL ANIMAL PARASITES


NO WAITING PERIOD BETWEEN LAST APPLICATION AND SLAUGHTER

ONE QUART MAKES 25 GALLONS
OF SPRAY

#### DIRECTIONS FOR USE

Do not use on dairy animals or in dairy barns.

ON CATTLE: To control Horn Flies, Cattle Lice. Ear Tick, Lone Star Tick, Guit Coast Tick, Winter Tick, and Cattle Fever Tick, mix one quart of DELNAV EC-15 with 25 gallons of water and stir well to form a creamy emulsion. Spray animals with a strong spray to penetrate to the skin. Wet all portions of the skin thoroughly. Approximately two quarts of spray are required for a full grown cow, and proportionately less for smaller animals. Be sure not to overdose young animals. Repeat as necessary but not more often than once every two weeks. One spraying with DELNAY EC-15 will control Horn Flies up to three weeks and a single application and control Lice



# **WARNING**

### Keep Out of Reach of Children

**ACTIVE INGREDIENTS:** 

Dioxathion—2 3-p-dioxaned thio! Si S-bis (O) O-diethyl phosphorodith date: 10.5% Related Compounds 4.5% Aromatic Petroleum Derivatives 75.0% INERT INGREDIENTS

100.0%

\*Registered Trademark of Hercules Powder Company for an insectide Delnay

EPA Reg No 148-536

GCC 11-79

EPA Est No.

NET CONTENTS

**GALLON** 

litres)



THOMPSON-HAYWARD CHEMICAL COMPANY

P.O. BOX 2383, KANSAS CITY, KANSAS 66110

WAI
inha
not
eyes
con
han
use
In c
con
eye

Extended interior

me

tam or

Dô em

> Sel imp duc Buy har

and

ins

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Do not contaminate feed and food stuffs. Wash hands thoroughly after using. Do not use or store near heat or open flames. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Wear clean clothing.

#### ANTIDOTE:

External — wash with soap and water.

Internal. — call a physician immediately; large doses of atropine are antidoțal. Give emetic of mustard.

Toxic to fish and wildlife. Do not contaminate water by cleaning equipment or disposal of waste and containers

. .

Do, not reuse container. Destroy when empty

### NOTICE:

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ON SHEEP AND GOATS: To control Sheep Ticks, Keds, Sheep Lice, Goat Lice and Wool Maggots use one quart of DELNAV EC-15 with 25 gallons of water, mix well, and spray animals thoroughly. Repeat application at two-week intervals if necessary. Spray animals right after shearing. When dipping animals, be sure to wet them thoroughly. Always stir dipping vat well just before using Post-shearing treatment will also aid in screwworm control. Do not apply to dairy goats.

ON HOGS: To control Hog Lice use one quart of DELNAV EC-15 to 25 gallons of water, mix well, and spray with a strong spray to thoroughly wet the skin.

BACKRUBBER APPLICATION: For control of Horn Fly and Lice on cattle, dilute 1 part DELNAV EC-15 with 9 parts oil. Apply with conventional cattle oilers. Do not use on dairy animals. Do not spray animals with this solution.

TID

## DELNAV EC-15 DILUTION TABLE

Amount of DELNAV EC-15	VOLUME OF WATER		
	Cattle Spray or Dip	Sheep and Goats Spray or Dip	Hog Lice
½ Pint	6 Gallons	6 Gallons	6 Gallons
1 Quart	25 Gailons	25 Gallons	25 Gallons
1 Gallon	100 Gallons	100 Gallons	100 Gallons