



DIRECTIONS FOR USE

For Early-Season Thrips, Flea Beetles and Cotton Fleahoppers. Also for Cotton Leafworms and Striped Blister Beetles: Apply 5 to 10 pounds per acre on appearance of insects.

For Mid- and Late-Season Boll Weevils, Bollworms, Fall Armyworms, Cotton Leaf Perforators, Leaf Rollers, Leafhoppers and Tarnished Plant Bugs. Also for light-to-moderate infestation of Lygus Bugs in Western irrigated cotton: Apply 10 to 20 pounds per acre, depending on the size of the cotton and insect population level. Applications for Boll Weevils should be made every 5 to 7 days as long as control is necessary.

For Pink Bollworms: Apply 15 to 25 pounds per acre on a 5- to 7-day schedule depending on the size of the cotton and degree of infestation.

For Stink Bugs and Salt-Marsh Caterpillars: Apply 20 pounds per acre as needed.

For Grasshoppers: Apply 5 to 15 pounds per acre on appearance of insects and their feeding damage. The highest dosage should be used when Grasshoppers are mature or material is applied on partly defoliated plants.

Sevin does not control Spider Mites. Where infestations are encountered, use a recommended miticide.

Sevin may be applied after bolls open. Allow 7 days between last application and grazing treated fields or harvesting crop residue for use as feed or bedding for dairy or meat animals.

For protection of Honeybees avoid use, if possible, during periods when Honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

HANDLING PRECAUTIONS

CAUTION: HARMFUL IF INHALED OR SWALLOWED. Do not breathe dust. Do not take internally. Avoid breathing of dust. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this

COTTON DUST

10 - 0 - 0

SEVIN*

CAUTION Keep Out of Reach of Children
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl N-Methylcarbamate).....10% by wt.
INERT INGREDIENTS.....90% by wt.

*Trademark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate

U. S. Pat. No. 2,903,478

EPA Reg. No. 144-633

SG-7-73-B

ACCEPTED
OCT 1 1973
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
WASHINGTON, D.C. 20535
144-633