

DATA SHEET

USDA Fed.Reg.No. 148-657

SHEET NO.

THOMPSON-HAYWARD CHEMICAL COMPANY - 5200 SPEAKER ROAD - KANSAS CITY, KANSAS 66110

DE-ESTER

SOYBEAN SEED
PROTECTANT

CAUTION Keep Out of Reach of Children
SEE OTHER PANEL FOR ADDITIONAL CAUTIONS.

SPECIAL NON-OIL LUBRICANT ADDED

FREE MEASURE INSIDE
(1/2 ounce capacity)

ACTIVE INGREDIENT:		
CAPTAN*	25%
INERT INGREDIENTS	75%
		<hr/>
N-Trichloromethylthio-4-cyclohexene- 1,2-dicarboximide.		100%

Reg. U. S. A. Pat. Nos. 2,553,770; 2,533,771; 2,553,776.

Not licensed for use or export outside of the United States, its territories and possessions,
Canada or Mexico.

USDA Reg. No. 148-657



THOMPSON-HAYWARD CHEMICAL COMPANY
SUSIDIARY OF THE FERTILIZER CORPORATION OF AMERICA
KANSAS CITY, MISSOURI

ACCEPTED WITH COMMENTS


1067

DATA SHEET

USDA Fed.Reg.No. 148-

SHEET NO.

THOMPSON-HAYWARD CHEMICAL COMPANY - 5200 SPEAKER ROAD - KANSAS CITY, KANSAS 66110



CAUTION: Avoid inhaling dust. Wear respirator. Avoid prolonged or repeated contact with skin. Wash with soap and water after handling. Avoid contamination of feed and foodstuffs.

Protect from Excessive Heat—Store in a Cool, Dry Place

This product is toxic to fish keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

Rinse spray equipment and container and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

DIRECTIONS FOR USE

DE-PESTER SOYBEAN SEED PROTECTANT is especially formulated for treatment of soybean seed for the control of seed and soil-borne diseases, including damping-off and seed decay organisms, and seedling blights, and is prepared for use directly in the planter box, thereby eliminating additional seed handling to have seed treated. This material provides adequate coverage of seed and any excess flows with the seed into the furrow, giving additional protection against soil-borne diseases.

Do not use treated seed for food, feed or oil purposes.

RECOMMENDATIONS

Use DE-PESTER SOYBEAN SEED PROTECTANT at the rate of 4 oz. per bu. or 7 oz. per 100 lb. of seed as a planter box treatment. May be used on previously treated seed.


PLANTER BOX RATES ARE AS FOLLOWS:

Size of Planter Box	Number of measuring scoops per planter box
1/2 bushel	4 Heaping Scoops
1 bushel	8 Heaping Scoops

For further specific information consult local agricultural authorities.

PEANUTS (Shelled) for the control of *Aspergillus niger* and other seed and soil-borne diseases, use 2-4 ozs. Soybean Seed Protectant per bushel, 4-6 ozs. per 100 lbs. of seed as a planter box treatment.

NOTICE: No warranty, expressed or implied, is made concerning this product or its use except that it conforms to the chemical description on this label and no person is authorized to make any other representation. Neither Thompson-Hayward Chemical Company



CAUTION: Avoid inhaling dust. Wear respirator. Avoid prolonged or repeated contact with skin. Wash with soap and water after handling. Avoid contamination of feed and foodstuffs.

Protect from Excessive Heat—Store in a Cool, Dry Place

This product is toxic to fish keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

Rinse spray equipment and container and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

DIRECTIONS FOR USE

DE-PESTER SOYBEAN SEED PROTECTANT is especially formulated for treatment of soybean seed for the control of seed and soil-borne diseases, including damping-off and seed decay organisms, and seedling blights, and is prepared for use directly in the planter box, thereby eliminating additional seed handling to have seed treated. This material provides adequate coverage of seed and any excess flows with the seed into the furrow, giving additional protection against soil-borne diseases.

Do not use treated seed for food, feed or oil purposes.

RECOMMENDATIONS

Use DE-PESTER SOYBEAN SEED PROTECTANT at the rate of 4 oz. per bu. or 7 oz. per 100 lb. of seed as a planter box treatment. May be used on previously treated seed.

PLANTER BOX RATES ARE AS FOLLOWS:

Size of Planter Box	Number of measuring scoops per planter box
1/2 bushel	4 Heaping Scoops
1 bushel	8 Heaping Scoops

For further specific information consult local agricultural authorities.

PEANUTS (Shelled) for the control of Aspergillus niger and other seed and soil-borne diseases, use 2-4 ozs. Soybean Seed Protectant per bushel, 4-6 ozs. per 100 lbs. of seed as a planter box treatment.

NOTICE: No warranty, expressed or implied, is made concerning this product or its use except that it conforms to the chemical description on this label and no person is authorized to make any other representation. Neither Thompson Hayward Chemical Company nor seller shall be liable for any damages resulting from the handling, storage or use of this product.

