during the day provided wind conditions are relatively calm. Aircraft should be flown at a height that will insure uniform coverage. Consult fixed authorities for specific information regarding timing of applications.

Crop	Insect	Pounds	Remarks
Sugarcane	Sugarcane borer	15	Apply specified dosage per acre as a broadcast application. Do not apply more than 5 times per season nor within 30 days of harvest. Traded sugarcons must be buned off at hervest are washed before personing. Consult your desired use information 176 dosage may be increased to 22 lbs. 7% granular per acre if necessary.

RESTRICTIONS

Do not use on other crops used for food or forage. Do not feed treated torage and harvest trash to livestock. Use only according to label directions. Applications at rates above those shown may result in illegal crop residues. To protect fish and wildlife do not contaminate streams, takes or pends.

WARNING

May be poisonous if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before re-use.


Do not contaminate feed or food. Keep out of reach of children.

If misuse results in accidental poisoning, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression. Atropine sulfate is antidotal.

NOTICE

No warranty, expressed or implied, is made concerning this product or its use except that it conforms to the chemical description on this label and no person is authorized to make any other representation. Neither Thompson-

SUGARCANE GRANULES G-7



Contains

GUTHION*

USE BEFORE_____

WARNING (Keep Out of Reach of Children)
SEE OTHER PANEL FOR ADDITIONAL CAUTIONS.

Store in a cool dry place.

ACTIVE INGREDIENT:

U.S. Patent N . 2,758,115 - Canadian Patent No. 522,660

*A Registered Trademark of Chemagro Corp.

USDA Reg. No. 148-671

100%

total