

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water in some location where flush water can be run off harmlessly. Then punch container full of holes or crush so that it cannot be used again for any purpose. Take to city dump or some other type location where no attempt will be made to salvage for any use whatsoever.

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

ANTIDOTE: Internal: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

ANTIDOTE: External: If on skin. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

NOTE TO PHYSICIANS: Compound exerts muscarine-like effects i.e. stimulation of the para sympathetic nervous system. A parasympathetic depressant, such as atropine, is indicated to relieve symptoms. The administration of oxygen is helpful. Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine in large doses to produce full atropinization and artificial respiration, if necessary. Endrin produces central nervous system excitation which responds rather well to almost any of the barbituric acid derivatives. The critical acute period following parathion poisoning lasts 36 to 45 hours, while the acute effect of endrin poisoning might well last several days to a week or more.

WARNING: POISONOUS IF SWALLOWED OR INHALED OR ABSORBED THROUGH SKIN.

Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to PARATHION Poisoning. Do not breathe dust or vapors. Do not take internally. Do not store near food or feed products. Keep out of reach of children. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. If in eyes, -- Flush with plenty soap and water and get medical attention. Wear a mask or respirator, of a type passed by the U. S. Department of Agriculture for Methyl Parathion and Endrin mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Do not pasture dairy animals or animals being finished for slaughter in cotton fields or feed gin waste from cotton that received application of this insecticide.

Keep out of lakes, ponds and streams. Apply this product only as specified on this label. Toxic to fish and wildlife. Do not apply when weather conditions favor drift from areas treated.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

ACCEPTED
MAY 15, 68
DEPESTER[®]

UNDER THE FEDERAL INSECTICIDE ACT
FUNCTION AND USE STATEMENTS
FOR ECONOMIC PEST CONTROL REGISTERED
ED UNDER NO. 148-713 SUBJECT
TO ATTACHED CONDITIONS.

148-713

COTTON SPRAY
1.6 - 1.6 - 0
LBS./GAL. METHYL PARATHION LBS./GAL. ENDRIN

POISON
DANGER Keep Out of Reach of Children

SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING STATEMENTS ON OTHER PANELS.

ACTIVE INGREDIENTS:

Endrin +	17.5%
O, O-dimethyl O-p-nitrophenyl thiophosphate*	17.5%
Xylene	59.0%
INERT INGREDIENTS	6.0%
TOTAL	100.0%

+ Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene
* Otherwise known as "Methyl Parathion"

USDA Reg. No. 148-713

1-68



MIXING DIRECTIONS

Mix this formulation with water by agitation or by using the mixture through the spray pump and back i. A proper mixture will have the appearance of emulsion with no free oil on the surface. Agitate until a uniform emulsion is formed. For best on ground equipment apply recommended amount of in 10 to 20 gallons of water per acre. For aerial applic with 3 to 10 gallons of water per acre.

DIRECTIONS

BEFORE USE READ DIRECTIONS, CAUTION, AND NOTICE STATEMENTS CAREFULLY.

CROP	INSECTS	DOSAGE PER ACRE	DIRECT FO APPLICA
Cotton**	Cutworms, Cotton Aphid	1 to 2 pints	Apply worms Repeat needed.
	Thrips, Fleahoppers, Aphids	1/2 to 1 pint	For early control u pint per mid seas tral use 2 late seas tral use
	Bollweevil, Bollworms	1 to 2 pints	For early control pint, mid season pints pe
Wheat***	Spider mite, Cotton Leaf worm, Lygus Bugs, Tarnished Plant Bugs, Fall Armyworms.	1 to 2 pints	Apply to uniform co Repeat necessary.
	Grasshoppers	1 1/2 pints	Apply to uniform co Repeat necessary.
	Green Bug, Aphids, Armyworms, Chinch Bug, Pale Western Cutworms, Cutworms, Fall Armyworms	1 PINT	Apply sir plication insects appear.

** Do not apply within 15 days of harvest.
*** Do not apply after heads begin to form, WITHIN 45 DAYS OF HARVEST.

D D-PESTER®

TON SPRAY

1.6 - 0

LBS./GAL.
ENDRIN

POISON



ANGER Keep Out of Reach of Children

AND OTHER REQUIRED WARNING STATEMENTS ON OTHER PANELS.

TS:

.....	17.5%
.....	17.5%
.....	59.0%
.....	6.0%
TOTAL	100.0%

loroepoxyoctahydro-endo, endo-dimethanonaphthalene
insecticide known as "Methyl Parathion"

1-68



MIXING DIRECTIONS

Mix this formulation with water by agitation or by circulating the mixture through the spray pump and back into tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform emulsion is formed. For best control with ground equipment apply recommended amount of insecticide in 10 to 20 gallons of water per acre. For aerial application use with 3 to 10 gallons of water per acre.

DIRECTIONS

BEFORE USE READ DIRECTIONS, CAUTION, WARNING AND NOTICE STATEMENTS CAREFULLY.

CROP	INSECTS	DOSAGE PER ACRE	DIRECTIONS FOR APPLICATIONS
Cotton**	Cutworms, Cotton Aphid	1 to 2 pints	Apply when worms appear. Repeat when needed.
	Thrips, Fleahoppers, Aphids	1/2 to 1 pint	For early season control use 1/2 pint per acre, mid season control use 2/3 pint, late season control use one pint.
	Bollweevil, Bollworms	1 to 2 pints	For early season control use 1 pint, mid and late season use 2 pints per acre.
Wheat***	Spider mite, Cotton Leafworm, Lygus Bugs, Tarnished Plant Bugs, Fall Armyworms.	1 to 2 pints	Apply to give uniform coverage. Repeat as necessary.
	Grasshoppers	1 1/2 pints	Apply to give uniform coverage. Repeat as necessary.
	Green Bug, Aphids, Armyworms, Army Cutworms, Chinch Bug, Pale Western Cutworms, Cutworms, Fall Armyworms.	1 PINT	Apply single application when insects first appear.

** Do not apply within 15 days of harvest.
*** Do not apply after heads begin to form, NOR WITHIN 45 DAYS OF HARVEST.

ACCEPTED WITH COMMENTS

artificial respiration, if necessary. Endrin produces central nervous system excitation which responds rather well to almost any of the barbituric acid derivatives. The critical acute period following parathion poisoning lasts 36 to 45 hours, while the acute effect of endrin poisoning might well last several days to a week or more.

WARNING: POISONOUS IF SWALLOWED OR INHALED OR ABSORBED THROUGH SKIN.

Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to PARATHION Poisoning. Do not breathe dust or vapors. Do not take internally. Do not store near food or feed products. Keep out of reach of children. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. If in eyes, -- Flush with plenty soap and water and get medical attention. Wear a mask or respirator, of a type passed by the U. S. Department of Agriculture for Methyl Parathion and Endrin mixtures. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Do not pasture dairy animals or animals being finished for slaughter in cotton fields or feed gin waste from cotton that received application of this insecticide.

Keep out of lakes, ponds and streams. Apply this product only as specified on this label. Toxic to fish and wildlife. Do not apply when weather conditions favor drift from areas treated.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

1.6

LBS./GAL.
**METHYL
PARATHION**



DANGER

SEE ANTIDOTE STATEMENT AND OTHER

ACTIVE INGREDIENTS:

- Endrin+
- O, O-dimethyl O-p-nitropheny
- Xylene

INERT INGREDIENTS

+ Hexachloroepoxyoc
* Otherwise known as

USDA Reg. No. 148-713