



CHLORDANE 50% WETTABLE POWDER

148

DIRECTIONS FOR USE

It is recommended that Chlordane 50% Wettable Powder be mixed with a small quantity of water to make a thin paste and then added to the spray tank. Continuous agitation is necessary for maintaining proper suspension.

ANT CONTROL on CITRUS: Apply 4 lbs. per 100 gallons of water. Do not apply within 30 days of harvest. Spray ground, trunks, and lower branches. No more than 500 gallons of spray per acre should be applied to citrus. The ground should be sprayed only when no fruit is present.

SOIL APPLICATION: Celery, peppers, potatoes - For control of wireworms, Apply 5 to 10 lbs. per acre. Limited to preplanting soil applications or at the time of planting and transplanting.

SWEET POTATOES: For control of White Grubs and wireworms, apply 5 to 10 lbs. per acre. Work into top few inches of soil prior to planting.

DOMESTIC APPLICATIONS: Chlordane gives effective control of ants, roaches, silver fish, spiders, scorpions, carpet beetles, wasps, earwigs, dog ticks and house crickets when applied at the rate of 1/4 lbs. per 1 gallon of water, Use as spot spray in hiding places, trails, cracks, nests, and places of entry.

ACTIVE INGREDIENT:
Technical Chlordane*.....50.0%
INERT INGREDIENTS.....50.0%

TOTAL..... 100.0%

*Equivalent to 30% Octachloro-4, 7-Methanotetrahydroindane and 20% related compounds.

DIRECTIONS FOR USE (continued):

DOMESTIC APPLICATIONS (con't)
For carpet beetle control, spray beneath carpets and rugs. Spray animal pet sleeping quarters for dog ticks. Replace the pets bedding with fresh bedding after spraying.

LAWN MOTH: (Sod Webworm) - Water thoroughly then apply at the rate of 2 1/2 Tbls. per gallon of water and apply to 100 square feet. Water lightly to carry material to root zone. Do not allow children or domestic animals on the treated lawn until lawn has been thoroughly watered and allowed to dry completely.

CAUTION

KEEP OUT OF REACH OF CHILDREN!

Do not allow children or pets on treated lawn until the product has been watered in and the area is completely dry.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Do not use this product on dairy animals, in dairy barns, or on feed or forage to be fed to dairy or other animals being finished for slaughter. Avoid skin contact with solutions.

In case of contact with skin, wash with soap and water.

This product will kill fish and wildlife. Keep out of lakes, streams, and ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM SMOKE OR FUMES.

USDA REG. NO. 148-727
ACCEPTED
JUN 25, 1969
148-727
UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT OF 1947
FOR CONTROL OF PESTS
TO ATTACHED COMMENTS.

THOMPSON-HAYWARD CHEMICAL CO.

FRESNO, CALIFORNIA — KANSAS CITY, KANSAS

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.