


Resubmitted 10/26/67 P.S.



☠ POISON ☠

DANGER Keep Out of Reach of Children

SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING STATEMENTS ON OTHER PANELS.

ADM. ...
Exp. ...
...
...
...
...
...

USDA Reg. No. 148-

ACCEPTED
DEC 5 1967
148-267

THOMPSON-HAYWARD CHEMICAL COMPANY
KANSAS CITY, KANSAS 66110

Page 1 of 2



POISON



DANGER Keep Out of Reach of Children

SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING STATEMENTS ON OTHER PANELS.

ACTIVE INGREDIENTS	
Endrin	16.3%
O, O-Dibutyltin Oxide	20.4%
Xylene	57.3%
INERT INGREDIENTS	6.0%
TOTAL	
	100.0%

USDA Reg. No. 148-

ACCEPTED

148-267

THOMPSON-HAYWARD CHEMICAL COMPANY
 KANSAS CITY, KANSAS 66110

Page 1 of 2

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

ANTIDOTE: Internal: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

ANTIDOTE: External. If on skin. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

NOTE TO PHYSICIANS: Compound exerts muscarine-like effects i.e. stimulation of the parasympathetic nervous system. A parasympathetic depressant, such as atropine, is indicated to relieve symptoms. The administration of oxygen is helpful. Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of atropine in large doses to produce full atropinization and artificial respiration, if necessary. Endrin produces central nervous system excitation which responds rather well to almost any of the barbituric acid derivatives. The critical acute period following parathion poisoning lasts 36 to 45 hours, while the acute effect of endrin poisoning might well last several days to a week or more.

WARNING: POISONOUS IF SWALLOWED OR INHALED OR ABSORBED THROUGH SKIN.

Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to PARATHION Poisoning. Do not breathe dust or vapors. Do not take internally. Do not store near food or feed products. Keep out of reach of children. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. If in eyes, -- Flush with plenty soap and water and get medical attention. Wear a mask or respirator, of a type passed by the U. S. Department of Agriculture for Methyl Parathion and Endrin protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash

MIXING DIRECTIONS

Mix this formulation with water by agitation or by circulating the mixture through the spray pump and back into tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform emulsion is formed. For best control with ground equipment apply recommended amount of insecticide in 5 to 15 gallons of water per acre. For aerial application dilute with 3 to 10 gallons of water.

DIRECTIONS FOR USE

Do not apply within 15 days of hand picking. Persons working in fields within 5 days after treatment should wear protective clothing.

DIRECTIONS

BEFORE USE READ DIRECTIONS, CAUTION, WARNING AND NOTICE STATEMENTS CAREFULLY

CROP	INSECTS	DOSAGE PER ACRE	DIRECTIONS FOR APPLICATIONS
Cotton**	Cutworms, Cotton Aphid	1 to 2 pints	Apply when worms appear. Repeat when needed.
	Thrips, Fleahoppers, Aphids	1/2 to 1 pint	For early season control use 1/2 pint per acre, mid season control use 2/3 pint late season control use one pint.
	Bollweevil, Bollworms	2 pints	For early season control use 1 pint, mid and late season use 2 pints per acre.

eyes, -- wash with plenty soap and water and get medical attention. Wear a mask or respirator, of a type passed by the U. S. Department of Agriculture for Methyl Parathion and Endrin protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Do not pasture dairy animals or animals being finished for slaughter in cotton fields or feed gin waste from cotton that received late application of this insecticide.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

CAUTION: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

			late season control use one pint.
	Bollweevil, Bollworms	2 pints	For early season control use 1 pint, mid and late season use 2 pints per acre.
	Spider mite, Leaf Perforator, Cotton Leafworm, Lygus Bugs, Tarnished Plant Bugs, Fall Armyworms.	1 to 2 pints	Apply to give uniform coverage. Repeat as necessary.
	Grasshoppers	1-1/2 pints	Apply to give uniform coverage. Repeat as necessary.
Wheat***	Green Bug Aphids, Armyworms, Army Cutworms, Chinch Bug, Pale Western Cutworms, Cutworms, Fall Armyworms	1-1/2 to 2 pints	Apply single application when insects first appear.

** Do not apply within 15 days of harvest.

*** Do not apply within 45 days of harvest.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Page 2 of 2