



### DIRECTIONS FOR USE

**BEANS:** Bean Aphid, Leaf Miner, Cucumber Beetle, Leafhopper. Apply 50 to 70 lbs. per acre. Do not apply within 7 days of harvest.

**BROCCOLI, CABBAGE, CAULIFLOWER:** Imported Cabbage Worm, Aphid, Diamond backed moth. Apply 50 to 70 lbs. per acre. Do not apply within 7 days of harvest for Cabbage. Do not apply within 5 days of harvest for Broccoli and Cauliflower.

**CELERY:** Aphid, Flea Beetle. Apply 25 lbs. per acre. Do not apply within 10 days of harvest.

**CORN:** Corn Earworm, Grasshopper, Armyworm. Apply 50 to 70 lbs. per acre. Do not apply within 2 days of harvest. Do not feed treated forage to animals being finished for slaughter within 2 days after treatment.

**GRAPES:** Leafhopper, Grape Berry Moth, Grape Leaf Folder. Apply 30 to 50 lbs. per acre. Do not apply within 10 days of harvest. See re-entry cautions below.

**STRAWBERRIES:** Strawberry Leaf Roller, Aphid. Apply 40 to 60 lbs. per acre. Do not apply within 5 days of harvest.

**TOMATOES:** Aphid, Leaf Miner, Armyworm. Apply 60 to 80 lbs. per acre. Do not apply within 3 days of harvest.

**FIGS:** For control of Fruit Fly. Apply 40 to 50 lbs. per acre. Do not apply later than 5 days before harvest.

### CAUTION

Do not allow this product to drift onto adjoining food or feed crops as residues may contaminate these crops making them unfit for sale, feed or human consumption. Keep clear of food and dairy animals.

Destroy bag immediately when empty. Bury in a safe place, or burn. Stay out of smoke.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**RE-ENTRY CAUTIONS:** Do not allow workers to enter field to engage in any activity requiring substantial contact with treated foliage for 5 days after application.

RECEIVED  
12-5-74  
TO AP...

# DIAZINON 2 DUST

<b>ACTIVE INGREDIENT:</b>	
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)	
phosphorothioate .....	2%
<b>INERT INGREDIENTS</b> .....	98%
Total .....	100%

### CAUTION Keep Out of Reach of Children

SEE OTHER PANEL FOR ADDITIONAL CAUTIONS.

### Harmful if swallowed.

May be absorbed through skin. Avoid breathing of dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 148-775

CG-10-74

EPA Est. No. 148-CA-1



**THOMPSON HAYWARD  
CHEMICAL COMPANY**

P.O. BOX 2383 KANSAS CITY KANSAS 66110