

ACC
 Jul 3, 1968

DANGER - POISON

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans and animals. Keep humans & animals out of treated fields on the day of treatment. Keep out of the reach of children and domestic animals. Decontaminate containers by washing thoroughly with lye solution, then destroy used containers to prevent reuse. Do not store near food or feed products. Keep away from heat and open flame.

DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN OR EYES. RAPIDLY ABSORBED THROUGH SKIN AND EYES. REPEATED INHALATION OR SKIN CONTACT MAY WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PHOSDRIN INSECTICIDE POISONING

DO NOT SWALLOW OR GET IN EYES, ON SKIN, OR ON CLOTHING. DO NOT BREATHE VAPORS. Wear clean rubber gloves, clean waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Phosdrin insecticide protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact remove all contaminated clothing and wash skin with soap and water, wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with strong lye solutions, then destroy used containers to prevent reuse.

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water. 1 tablespoon of salt to a glass of water. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes. IF WARNING SYMPTOMS APPEAR: Administer two 1-100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. See WARNING SYMPTOMS Below. Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

DEFEATER

PHOSDRIN* E-4
 (CONTAINS 4 LBS.
 PHOSDRIN PER GALLON)

DANGER - POISON

ACTIVE INGREDIENTS

2-carbomethoxy-1-methylvinyl dimethyl phosphate	28.3
alpha isomer	18.8
Related Compounds	47.9
Xylene	5.0
INERT INGREDIENTS	5.0
Equivalent to 47 lbs. w of Phosdrin insecticide	TOTAL 100.0

DANGER: Keep Out Of Reach Of Children
 (See Additional DANGER Statement On Side Panel)



TREATMENT: Atropine stimulation. If there is no response, use 10-minute intervals, in contraindicated. Clear patient continuously to cause prolonged suscepi until time for cholinest

Mix with 100 gallons of water and agitate before use.

EGGPLANT, PEPPERS, and Mites, use to 1 necessary to maintain LETTUCE — 1. Pint of cucumber beetles, salt COLE CROPS AND SPINACH caterpillars. Do Cabbage, 4 days before STRAWBERRIES — 1 P. pillars. No application BEANS, TOMATOES, (1. Pint per acre for co day before harvest.

This product is toxic to birds and may be killed.

NOTICE

DE-PESTER

PHOSDRIN* E-4
(CONTAINS 4 LBS.
PHOSDRIN PER GALLON)

DANGER -- POISON

ACTIVE INGREDIENTS

2-carbomethoxy-1-methylvinyl dimethyl phosphate	28.3**
alpha isomer	18.8**
Related Compounds	47.9
Xylene	5.0

INERT INGREDIENTS

* Equivalent to 47.1% w of Phosdrin insecticide	TOTAL	100.0
---	-------	-------

DANGER: Keep Out Of Reach Of Children
(See Additional DANGER Statement On Side Panel)



DANGER -- POISON

TREATMENT: Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. If there are signs of para-sympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

MIXING DIRECTIONS

Mix with 100 gallons of water by agitation; agitate the mixture while spraying. If allowed to stand, reagitrate before use. For airplane application use from 3 to 10 gallons of water per acre.

SUGGESTIONS FOR USE

Apply in cool part of the day

EGGPLANT, PEPPERS: For control of Aphids use 1/2 to 1 pint per acre. For Grasshoppers, Leafhoppers and Mites, use 1/2 to 1 pint per acre. Begin applications when insects first appear and repeat as often as necessary to maintain control. Do not apply within 1 day of harvest.

LETTUCE — 1/2 Pint to 1 Pint per acre for control of cut worms, cabbage loopers, aphid, lygus, spider mite, cucumber beetles, salt marsh caterpillars. Do not apply within 2 days of cutting.

COLE CROPS AND SPINACH — 1 Pint per acre for control of cut worms, cabbage loopers, aphids, and salt marsh caterpillars. Do not apply within 3 days of cutting on Brussels Sprouts, Cauliflower, 1 day on Broccoli, Cabbage, 4 days before harvest on Spinach.

STRAWBERRIES — 1 Pint per acre for control of spider mite, aphid, lygus, white flies, salt marsh caterpillars. No application within 1 day of picking.

BEANS, TOMATOES, CLOVER, PEAS, ALFALFA — 1 Pint per acre for control of lygus, alfalfa loopers. 1/2 Pint per acre for control of aphid, spider mites, thrips, leaf hoppers. Do not treat later than 1 day before harvest.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated area may be killed. Do not apply when weather conditions favor drift from areas treated.

NOTICE: Seller makes no warranty, expressed or implied, that the use of this product will result in the control of the pest. Buyer assumes all responsibility for the proper handling of this material and for the results of its use. Refer to label instructions.

1M 5-68

USDA REG. NO. 148-802

humans & animals out
 restic animals. De-
 ntainers to prevent
 ne.

UGH SKIN OR EYES.
ED INHALATION OR
ELY INCREASE SUS-

REATHE VAPORS
 e gloves frequently.
 rtment of Agriculture
 ng and before eating
 t least ten minutes
 ng and wash skin
 h large amounts of
 n destroy used con-

POISONING
 ay be done by intro-
 a glass of water.

from the vicinity of
 ing water. If the
 utes. **IF WARNING**
NEVER ADMINISTER
 low. Keep patient
 ing. Transport the

blurred vision, non-
 al cramps

ING

Se