



NET CONTENTS†

POUNDS

MALATHION 50% E. C.

ACCEPTED  
Apr 4, 1968  
UNDER THE  
FUNCTION AND  
FOR USE IN  
E.C. NUMBER  
TO ATTACH

DIRECTIONS FOR USE

**FLY CONTROL:** For control of flies in and around buildings which house domestic animals, around yards and around homes, apply a spray containing 1 gallon of Malathion 50% E. C. in 50 gallons of water at the rate of 1 gallon per 1,000 square feet on painted surfaces and 2 gallons per 1,000 square feet on unpainted surfaces, where flies alight or congregate, such as walls, ceilings, stanchions, windows in dairy barns, fences, around garbage cans, etc. Repeat as necessary.

**USE:** Repeat as necessary. Use only for recommended purposes and at recommended dosages. Consult your local STATE AGRICULTURAL EXTENSION SERVICE for proper timing of application.

ACTIVE INGREDIENTS:

Malathion (C, O-dimethyl Di-thio phosphate of Diethyl mercaptosuccinate).....	50%
Aromatic Petroleum Solvent (Xylene).....	35%
INERT INGREDIENTS.....	15%
<hr/>	
TOTAL.....	100%

DIRECTIONS FOR USE

For a bait spray add 1 gal. of unsulphurized molasses or corn syrup or 10 lbs. of sugar to the above mixture or if fly population is severe use a spray containing 1 1/2 gals. of Malathion 50 E. C. and 10 lbs. of sugar per 50 gallons of water. Repeat application as necessary. In conjunction with Malathion treatments, in and around dairy barns, and other agricultural premises, fly breeding sites such as manure and other waste material, should be eliminated. Do not apply to freshly whitewashed surfaces. Wait 14 days before spraying. Do not use in milk rooms. Avoid contamination of feed and foodstuffs. Remove animals and poultry from buildings before treating. Do not use in dwellings. Do not leave within reach of children.

THIS PRODUCT IS TOXIC TO FISH. KEEP OUT OF ANY BODY OF WATER.

WARNING

KEEP OUT OF REACH OF CHILDREN! Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid repeated or prolonged contact with skin. Wash thoroughly. Avoid contamination of feed and foodstuffs.

**INFLAMMABLE:** Keep container closed and away from heat and open flame.

**NOTE TO PHYSICIANS:** Malathion upon repeated prolonged careless use, may cause cholinesterase inhibition. Atropine is antidotal.

USDA Reg. No. 149

**THOMPSON-HAYWARD CHEMICAL CO.**  
FRESNO, CALIFORNIA — KANSAS CITY, KANSAS

NOTICE: SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE AND/OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.