


DIAZINON (R) MANEER 2-6



Directions For Use

Apply to most of all types of...  
...increase dosage as plants grow up. Dangers should be avoided to give uniform and thorough coverage.

ADDITIONAL USES

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...

ACTIVE INGREDIENTS	
DIAZINON (25% SOLUTION).....	75.0
INERT INGREDIENTS.....	25.0
TOTAL.....	100.0

Directions For Use (continued)

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.

Apply to most of all types of...  
...at intervals. Do not apply within 7 days of harvest.