

# DE-PESTER®

PARATHION 2% DUST

**DANGER**  
 **POISON** 

## DIRECTIONS

To Obtain Most Effective Results, Complete and Uniform Coverage of All Pests Is Necessary. Use A Good Hand-Dusting Or Powder-Dusting Machine.

To control Aphids and Red-Spider Mites on Alfalfa, Artichokes, Beans, Broccoli, Cabbage, Carrots, Cauliflower, Celery, Cotton, Grapes, Hops, Lettuce, Melons, Onions, Peas, Potatoes, Spinach, Strawberries, Tomatoes, Sugar Beets and Walnuts, use 15 to 20 lbs. per acre.

Do not apply to Alfalfa, beans, celery, grapes, hops, onions, strawberries, sugar beets, carrots within 15 days of harvest; within 14 days on spinach; within 21 days on leaf lettuce; within 7 days of harvest of artichokes, broccoli, cabbage, cauliflower; within 10 days harvest of tomatoes and peas; within 7 days harvest of melon; within 5 days of cotton picking. Apply to walnuts before the husks open. Within 5 days of potato harvest.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Apply this product only as specified on this label. Do not reuse container. Destroy when empty. Birds feeding on treated areas may be killed.

## ACTIVE INGREDIENT:

Parathion\*..... 2%

INERT INGREDIENTS... 98%

\*O, O-diethyl O-p-nitrophenyl thiophosphate

**WARNING:** Do not allow this product to drift onto adjoining food or feed crops as residues may contaminate these crops making them unfit for sale, feed or human consumption. Keep clear of food or dairy animals.

Toxic to honeybees. Do not apply during bloom. While honeybees or other pollinators are active.

NET WEIGHT

50 POUNDS

USDA Reg. No. 148-813

# DANGER

**KEEP OUT OF REACH OF CHILDREN!** May be fatal if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact immediately wash with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating and smoking. Wash all contaminated clothing with soap and hot water before use.

**POISONING SYMPTONS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.

**ANTIDOTE:** Internal: If swallowed give a tablespoon salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. Call Physician immediately. Give milk or water freely. If EYES contacted flush with water for at least 15 minutes.

## THOMPSON-HAYWARD CHEMICAL CO.

FRESNO, CALIFORNIA — KANSAS CITY, KANSAS

NOTICE: No warranty, expressed or implied, is made by the manufacturer except that it conforms to the chemical description on the label and the printed directions to make any other representation. Neither Thompson-Hayward Chemical Company nor its agents