

DE-PESTER®

GUTHION* - SULFUR 3-30 DUST

ACCEPTED
Sep 9, 1969
UNDER THE FEDERAL INSECTICIDE ACT
AND REGULATIONS FOR
PESTICIDES REGISTERED
SUBJECTS
148-332

DANGER
POISON

DIRECTIONS

To control Grape Berry Moth, Leaf-hoppers, Mites and Powdery Mildew on GRAPES, apply at 20 to 30 lbs. per acre. Begin application when danger of infestation exists. Repeat as necessary but not more than 3 times a season nor within 28 days of harvest.

CAUTION

Do not pasture treated forage. Do not apply to or allow to drift onto sulfur-sensitive varieties or crops.

ANTIDOTE

Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

TO PHYSICIAN

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

TREATMENT

In case of poisoning, call a physician immediately! Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Give milk or water and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

SYMPTOMS

A sense of "tightness in the chest", sweating, constricted pupils, stomach pains. Vomiting and diarrhea.

ACTIVE INGREDIENTS:

O, O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl) phosphorodithioate (I).....	3.0%
Sulfur.....	30.0%
INERT INGREDIENTS.....	67.0%
TOTAL.....	100.0%

*Reg. U.S. Patent Office by-Farbenfabriken Bayer A.G., Chemagro Corporation Licensee (I) U.S. Patent No. 2,578,115.

DANGER

KEEP OUT OF REACH OF CHILDREN!

Poisonous if swallowed, inhaled or absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves and goggles. Do not breathe dust. Wear a mask or respirator approved by the U.S. Dept. of Agriculture as effective for protection against GUTHION. Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Workers who enter treated fields within 2 days of application should wear protective clothing. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label.

USDA REG. NO. 148-332

THOMPSON-HAYWARD CHEMICAL CO.
FRESNO, CALIFORNIA — KANSAS CITY, KANSAS

NOTICE: No warranty, expressed or implied, is made concerning this product or its use except that it conforms to the chemical description on this label and no person is authorized to make any other representation. Neither Thompson-Hayward Chemical Company nor seller shall be liable for any damages resulting from handling, storage or use of this product.