

DE-PESTER®

PARATHION-METHYL PARATHION 6-3

DANGER POISON

ACCEPTED
Sep 11, 1969
UNDER THE FEDERAL INSECTICIDE ACT
FEDERAL REGISTER
FOR ECONOMIC PESTICIDES
ED UNDER FEDERAL REGULATION
TO ATTACHED COMMENTS.

DIRECTIONS

THIS PRODUCT IS INTENDED TO BE APPLIED ONLY BY SPECIFIED AND TRAINED OPERATORS OF AIRCRAFT OR POWER DRIVEN GROUND EQUIPMENT. CONSULT STATE AGRICULTURAL EXPERIMENT STATION FOR PROPER TIMING OF APPLICATION AS WELL AS POISON RESIDUE TOLERANCE BEFORE USING THIS MATERIAL. THIS PRODUCT IS NOT TO BE USED AROUND HOMES OR HOME GARDENS.

FOR AIR APPLICATIONS—USE RECOMMENDED DOSAGES IN 10 TO 30 GALS. WATER PER ACRE. FOR GROUND APPLICATION—USE RECOMMENDED DOSAGES IN 50 TO 150 GALS. OF WATER PER ACRE.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWERS: APHIDS, IMPORTED CABBAGEWORM, DIAMOND-BACK MOTH, VEGETABLE WEEVILS: 1/2 PINT. DO NOT APPLY WITHIN 21 DAYS OF HARVEST.

LETTUCE: PSYLLIDS, THRIPS VEGETABLE WEEVILS, APHIDS: 1/2 TO 1 PINT. DO NOT APPLY WITHIN 21 DAYS OF HARVEST.

COTTON: BOLLWORM, OVERWINTERED BOLL WEEVIL, 2/3 TO 1-1/3 PINT. APHIDS, ARMYWORMS (UP TO 3RD INSTAR), CABBAGE LOOPER, STINKBUG, SALT-MARSH CATERpillars, SERPENTINE LEAFMINER—1 PINT. BROWN COTTON LEAFWORM, COTTON LEAFWORM, FLEAHOPPER, GARDEN WEBWORM, LEAFHOPPERS, LYGUS BUG, RED SPIDER MITE, THRIPS—1/2 PINT. WORKERS ENTERING FIELDS WITHIN 24 HOURS OF APPLICATION SHOULD WEAR PROTECTIVE CLOTHING. DO NOT APPLY WITHIN FIVE DAYS OF HANDPICKING.

USDA Reg. No. 148-880

ACTIVE INGREDIENTS:

- PARATHION® 57.0%
- O,O-DIMETHYL O-P-NITROPHENYL THIOPHOSPHATE 28.5%
- XYLENE 5.0%
- INERT INGREDIENTS 9.5%

*O,O-DIETHYL O-P-NITROPHENYL THIOPHOSPHATE. CONTAINS 6 POUNDS PARATHION AND 3 POUNDS METHYL PARATHION PER GALLON.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

KEEP COOL IN SHADE. OUT OF DIRECT SUNLIGHT.

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER-REUSE.

WARNING

THIS PRODUCT WILL KILL FISH AND WILDLIFE. KEEP OUT OF ANY BODY OF WATER. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFT OF SPRAY FROM AREAS TREATED. RINSE EQUIPMENT AND CONTAINERS AND DISPOSE OF WASTES BY BURYING IN NON-CROP LANDS AWAY FROM WATER SUPPLIES. BIRDS FEEDING ON TREATED AREAS MAY BE KILLED.

DO NOT INHALE. DO NOT GET ON SKIN. DO NOT TAKE INTERNALLY.
ANTIDOTE: IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIANS: ATROPINE IS ANTIDOTAL. IF ON SKIN. IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER.

DANGER

KEEP OUT OF REACH OF CHILDREN!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. WEAR A MASK OR RESPIRATOR OF A TYPE PASSED BY THE U.S. DEPARTMENT OF AGRICULTURE FOR PARATHION PROTECTION. RAPIDLY ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR NATURAL RUBBER GLOVES, PROTECTIVE CLOTHING AND GOGGLES. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WATER. WASH HANDS, ARMS AND FACE THOROUGHLY WITH SOAP AND WATER BEFORE EATING AND SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE. KEEP ALL UNPROTECTED PERSONS OUT OF OPERATING AREAS OR VICINITY WHERE MAY BE DANGER OF DRIFT. VACATED AREAS SHOULD NOT BE RE-ENTERED UNTIL DRIFTING INSECTICIDE AND VOLATILE RESIDUES HAVE DISSIPATED. DO NOT CONTAMINATE FEED AND FOODSTUFFS. DO NOT USE. POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

AVOID USE DURING FLOWERING AND POLLINATION PERIODS. DO NOT APPLY UNDER CONDITIONS INVOLVING POSSIBLE DRIFT TO FOOD, FORAGE OR OTHER PLANTINGS THAT MIGHT BE DAMAGED OR THE CROPS THEREOF RENDERED UNFIT FOR SALE, USE OR CONSUMPTION.

THOMPSON-HAYWARD CHEMICAL CO.

FRESNO, CALIFORNIA — KANSAS CITY, KANSAS