DIRECTIONS

To control most weeds and grasses for extended periods on non-cropland areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and the like apply 1 to 4 gallons per 1000 square feet after the most predominant weeds have emerged. No agitation is required. Bromo-Kil-D with Dedrift can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling can may be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use of this product in their particular area.


IMPORTANT: Do not apply directly to, or otherwise permit Bromo-Kil-D with Dedrift to contact susceptible plants as this product may injure cotton, beans, peas, grapes, flowers, fruit trees, ornamentals, or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays) are less likely to drift). Vapors from this product may injure susceptible plants in the immediate vicinity. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes.) Do not store near fertilizers, seeds, insecticides or fungicides. Do not re-use this container. Do not apply to areas underlaid by roots of desirable trees and shrubs.

This product is toxic to fish and wildlife. Do not contaminate any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

WARNING: Harmful if swallowed. Causes skin irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, flush with large amounts of water; for eyes, get medical attention. Remove and wash contaminated clothing before re-use.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME DO NOT REUSE CONTAINER DESTROY WHEN EMPTY

NOTICE: Seller makes no warranty, expressed or i. lied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



ED UNDER NO.

TO ATTACHED COMMENTS

MAY 5, 1972 SPRA-GARD

UMBER THE FEDERAL INSECTOR ... FUNGICIDE AND WORK WITH A F. FOR ECONOMIC PO * N 7 1

with Dedrift

. WEED KILLER

WARNING Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

ACTIVE INGREDIENTS:

Petroieum oil	94.94%
2,4-Dichlorophenoxyacetic acid, isooctyl ester*	1.09%
Bromacil (5-bromo-3-sec butyl-6- methyluracil	0.98%
Pentachlorophenol	0.80%
Other chlorophenols	0.09%
INEFT INGREDIENTS	2.10%
1	00.00%
*2,4 Dichlorophenoxyacetic acid, equivalent0.7	0%

EPA Reg No 148-921

3-72



THOMPSON HAYWARD CHEMICAL COMPANY

ACCEPTED

SEP 23 1975

Value to a north Insection in Principal and the feature of Acts as amended, for the posture of telestered update 196 and 21 EPS Reg. No. 196 and 21



ALGAETROL® Q-50

OUTSTANDING ALGAE GROWTH DEPRESSANT

DANGER: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL WARNINGS

ACTIVE INGREDIENTS

100%

TPA Poli, No. 148-1121 (2013) EPA Est. No.

Algaetro PO-50

efficient, economical and stable in use dilution.

compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

•Keeps pool water free and sparkling clear of visible algae, slime and green brown colors.

elmproves filter operation and cuts down need for other chemicals.

•Imparts tone and a pleasant "feel" to swimming pool water.

DANGER:

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Do not reuse container. Destroy when empty.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician, Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol, Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage max contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persitsent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbituate drug.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into takes, streams or ponds or public water. Apply this product only as specified on this label DIRECTIONS:

Initial Application: To a cleaned pool add 26 oz. to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use 6.5 oz. per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.


Booster Dose: Immediately after every rain add 6.5 oz. per 50,000 gallons of water as above. Important: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

Pool-side Surfaces: After cleaning surfaces, use .5 oz. to ten gallons of water for santizing or .5 oz. to 5 gallons of water for disinfecting.

NOTICE

relier makes ne warronsy stapressed ar implied, cancerning the use of his product other their indicated on the label Buyer assumes oil risk of use and/or handling of this manerial when such use and/or handling is contrary to label continuous.

DISTRIBUTED BY:



KANSAS CITY, KANSAS 66110