NET CONTENTS

GALLON

COTTON DUST 7.5—40—0

SEVIN* SULPHUR

ACCEPTED
JUN 30, 1971
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. ..... SUBJECT TO ATTACHED COMMENTS.

CAUTION Keep Out of Reach of Children

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-Methylcarbamate)	7.5%
Sulphur (90% thru 325 mesh)	40.0%
INERT INGREDIENTS:	52.5%
	100.0%

*Trade Mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.

DIRECTIONS FOR USE

FOR EARLY SEASON THRIPS, FLEA BEETLES AND COTTON FLEAHOPPER, ALSO FOR COTTON LEAFWORM AND STRIPED BLISTER BEETLE. Apply 7 to 10 pounds per acre on appearance of insects.

[illegible] AND LATE SEASON BOLL WEEVIL, BOLLWORM, FALL ARMYWORM, COTTON LEAF [illegible], LEAF ROLLERS, LEAF HOPPERS AND TARNISHED PLANT BUG. ALSO FOR [illegible] TO MODERATE INFESTATIONS OF LYGUS BUGS IN WESTERN IRRIGATED COTTON: [illegible] pounds per acre, depending on the size of the cotton and insect population level. Applications for boll weevil should be made every five to seven days as long as control [illegible].

[illegible] BOLLWORM. Apply [illegible] pounds per acre on a five to seven day schedule depending [illegible] of infestation.

[illegible] BUGS AND SALTMARSH CATERPILLAR. [illegible] pounds per acre as [illegible].

[illegible] HOPPERS. Apply 15 pounds per [illegible] and their feeding [illegible] material is [illegible].

[illegible] by repeated [illegible] of this insecticide.

[illegible] control [illegible] Where infestations are [illegible] use [illegible].

SEVIN may be applied after bolls open. Allow 7 days between last application and grazing treated fields or harvesting crop residue for use as feed or bedding for dairy or meat animals.

For protection of honeybees avoid use, if possible, during periods when honeybees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

HANDLING PRECAUTIONS

CAUTION: HARMFUL IF INHALED OR SWALLOWED. Do not breathe Dust. Do not take internally. Avoid breathing of Dust. Skin Contact May be Harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. Atropine is antidotal.

Do not re-use container. Burn or bury with waste. Keep out of smoke.

NOTICE

[illegible] this product other than [illegible] in the label. [illegible] when such use and/or handling is contrary to label instructions.

[illegible]

THOMPSON HAYWARD CHEMICAL COMPANY
Kansas City, Kansas 66110

[illegible]