



1 POUND LINDANE PER GALLON

ACTIVE INGREDIENTS:

Gamma isomer of benzene hexachloride (from Lindane) 12.7
Xylene 82.5

INERT INGREDIENTS

5.0

100.0

**KEEP OUT OF REACH OF CHILDREN
WARNING
STATEMENT OF PRACTICAL TREATMENT**

If swallowed—Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting if operated on by mouth for any other person.

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water. Call a physician immediately.

See side panel for additional precautionary statements

See side panel for additional precautionary statements

EPA Reg. No. 148-967

EPA Est. No. 148-MS-3

NET CONTENTS 1-GAL. (3.785 litres)



**THOMPSON-HAYWARD
CHEMICAL COMPANY**

P.O. BOX 2383, KANSAS CITY, KANSAS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**

May be absorbed through skin. Avoid inhalation and skin contact. In case of contact, wash immediately with soap and water. Avoid contamination of food and clothing. Do not use on household pets or humans. Harmful if swallowed. Keep out of reach of children.

Do not use on feed or cage for caged dairy animals. Do not use on fresh fruits or vegetables. Do not contaminate milk or drinking water. Wash hands thoroughly after using and before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

**DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME**

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.**

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

General: Consult Federal, State or Local disposal authorities for approved alternative procedures.

PINE TREES

For Southern Pine Beetles, Ips Engraver Beetles, and Black Turpentine Beetles (beetles commonly infesting pine trees): For prevention or control—use 6 fluid ounces (12 tablepoonsful) per gallon of water. For Black Turpentine Beetle use 11 fluid ounces per gallon of water. Mix thoroughly. Completely cover the main tree trunk from the first branches down to the ground line, starting at the uppermost point and working to the base of the tree. Repeat at 3 to 6 month intervals. Spray all trees in area of infested tree to prevent attack by beetles. Do not spray when the bark is wet.

Early detection is necessary for effective control of tree insects. If infestation of bark beetles in pine trees are not detected early, the life supporting systems of the tree may be damaged and the tree will often die regardless of any treatment. Examine trees regularly for signs of insect activity. As a preventative measure, spray trees in early spring with LINDANE E-1. Keep trees in vigorous condition by supplying adequate water and fertilizer. Keep dying and injured wood pruned out. Pruning should be removed to prevent it serving as a refuge for insects.

Further information on tree insect control practices may be obtained from your Cooperative Agricultural Extension Service.