

### DIRECTIONS FOR USE

FOR EARLY SEASON THRIPS, FLEA BEETLES AND COTTON FLEAHOPPER. ALSO FOR COTTON LEAFWORM AND STRIPED BLISTER BEETLE: Apply 10 to 20 pounds per acre on appearance of insects.

FOR MID- AND LATE-SEASON BOLL WEEVIL, ROLLWORM, FALL ARMYWORM, COTTON LEAF PERFORATOR, LEAF ROLLERS, LEAFHOPPERS AND TARNISHED PLANT BUG. ALSO FOR LIGHT TO MODERATE INFESTATIONS OF LYGUS BUGS IN WESTERN IRRIGATED COTTON. Apply 20 to 40 pounds per acre, depending on the size of the cotton and insect population level. Applications for boll weevil should be made every five to seven days as long as control is necessary.

FOR PINK BOLLWORM. Apply 30 to 50 pounds per acre on a five to seven day schedule depending on the size of the cotton and degree of infestation.

FOR PINK BUGS AND EAST-MARCH CATERPILLAR. Apply 40 pounds per acre as needed.

FOR GRASSHOPPERS. Apply 10 to 30 pounds per acre on appearance of insects and their feeding damage. The highest dosage should be used when grasshoppers are mature or material application partly infested plants.

ALBINO populations will be suppressed by repeated applications of this insecticide.

EVIN are not control in arid areas. Where infestations are and a few days a week or so of midday.

Effects may be applied after harvest. Allow 7 days between last application and harvest of treated crops or harvesting crop to allow for use of feed or bedding for dairy animals.

For protection of livestock, when possible, bring periods when they feed are kept from the crop. When necessary, use during such periods, when the keepers will be able to locate the animals and avoid contact until the next application. Do not feed any animals from waterways with water from waterways. Do not feed any animals from waterways.

### HANDLING PRECAUTIONS


ALBINO HARMFUL TO BIRDS AND MALLARD. Do not feed the dust to birds or mammals. Avoid contact with birds, cats, dogs, and other animals. Avoid contact with children. Take care with mouth after work. Use regular eye wash with water. Contact with eyes may cause blindness. NOTE TO PHYSICIAN:

For information on treatment of poisoning, contact the manufacturer.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS



# COTTON DUST



# 5-75-0

SEVIN\* SULPHUR

## CAUTION Keep Out of Reach of Children

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

### FOR THE CONTROL OF INSECTS ON COTTON

#### ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) 5% by wt  
Sulphur (93% thru 325 mesh) 75.0% by wt

#### INERT INGREDIENTS

Trade Mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate 20% by wt