


NET WEIGHT

50 POUNDS



SEVIN* 10-G

FOR THE CONTROL OF EUROPEAN CORN BORER

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 10 by wt.

INERT INGREDIENTS: 90 by wt.

100

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

- Harmful if inhaled or swallowed • Avoid breathing of dust
- Do not take internally • Skin contact may be harmful
- Avoid contact • Wash hands and face before eating

DIRECTIONS FOR USE

For the control of European Corn Borer in corn, use Sevin 10-G at the rate of 10 to 20 pounds per acre. More than one application may be necessary. Do not apply within seven days of harvest. Application should be made to the entire corn plant.

This product is highly toxic to man and animals. For more information on the use of this product, contact your local Agricultural Extension Service.

Do not reuse empty container. Do not use for any other purpose without the approval of the manufacturer.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Avoid contamination of food.

Read entire label. Use in strict accordance with label directions and cautions.

NOTICE OF WARRANTY

This product is warranted to perform as described on the label. The manufacturer is not responsible for any damage to property or person caused by the use of this product in violation of the label directions.

RECEIVED
 JUN 2, 1971
 ACCEPTED

UNDER THE FEDERAL INSECTICIDE ACT
 FOR THE CONTROL OF EUROPEAN CORN BORER
 IN THE STATE OF ILLINOIS
 REGISTERED AND APPLIED
 FOR THE CONTROL OF EUROPEAN CORN BORER
 IN THE STATE OF ILLINOIS
 TO ATTACHED COMMENTS