

pounds of Heptachlor 2 1/2% Granular per acre to non-food crop areas including lawns, turf and nurseries. Mound Treatment--Apply 4 cups to entrance of the nest as well as to area 3 feet around nest. If necessary repeat treatment 2 weeks after first application. Do not apply to pasture lands. Do not exceed 50 pounds of product per acre.

ROUGH-HEADED CORNSTALK BEETLE (Sugar Cane Beetle) ON CORN: Apply 40 pounds of Heptachlor 2 1/2% Granular per acre to the soil at time of planting. Granules should be applied in a 6 to 8 inch band over the row.

SOIL INSECTS: For control of Japanese Beetle Larvae, White Grubs, White-Fringed Beetle Larvae, European Chafer Larvae and Asiatic Garden Beetle Larvae apply 80 to 120 pounds (2 to 3 lbs. 1000 sq. ft.), for Green June Beetle Larvae 120 to 200 pounds per acre (3 to 5 lb. 1000 sq. ft.), on non-food crops including lawns, cemeteries, golf courses, park areas and nurseries. Persons or pets should be excluded from the treated area until the Heptachlor has been worked or washed into the soil.

Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Keep out of tidal marshes and estuaries.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds. Apply this product only as specified on this label.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Birds and other wildlife feeding in treated areas may be killed.

#### CAUTION

Harmful if swallowed. Avoid inhalation of dust. Avoid skin contact and wash hands, arms and face with soap and water after using. Avoid contamination of feed and foodstuffs.


Do not reuse empty container. Destroy it by burning or burying with waste. Stay away from smoke or fumes.

#### ANTIDOTE

EXTERNAL—In case of spillage on skin, wash promptly with soap and water.

INTERNAL—Emetic of tablespoonful mustard in tumbler of water. Call a physician.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



# HEPTACHLOR 2 1/2% GRANULAR

**CAUTION: Keep Out of Reach of Children**  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

<b>ACTIVE INGREDIENTS:</b>	
Heptachlor* .....	2.50%
Related compounds .....	0.97%
<b>INERT INGREDIENTS</b> .....	96.53%
	100.00%

\*Heptachlorotetrahydro 4, 7 methanodene

EPA Reg. No. 148-992 5-72



P O BOX 2383 KANSAS CITY, KANSAS 66110