

## FARM V SPRAY

ains METHOXYCHLOR

Keep Out of Reach of Children

NEL FOR ADDITIONAL CAUTIONS.

ilor* .		5. <b>0</b> 0%
er:vative	Solvent	
		100.00%
2,2-bis (p- he-s and	methoxyphenyl)-1, related compound	1,1-trichloroethane ls.

5-72

THOMPSON HAYWARD CHEMICAL COMPANY

B3 KANSAS CITY, KANSAS 66110

## **DIRECTIONS**

BEFORE USE READ DIRECTIONS, CAUTION AND NOTICE STATEMENTS CAREFULLY

Kills on contact the exposed stages of <u>Granary Weevil</u>, Rice Weevil, <u>Lesser Grain Borer</u>, Confused Flour Beetle, Cadelle Beetle, Saw-Toothed Grain Beetle.

FARM BIN SPRAY is designed for use as a surface treatment. To obtain best results use as a coarse spray to wet walls, ceilings, floors, and areas surrounding farm bins, Farm Bin Spray residue kills insects attacking grain that come into contact with treated surfaces. The following procedure has given effective results:

- 1. Clean the bins thoroughly, especially cracks, crevices, and corners where grain and dust accumulate.
- 2. Clean up the ground outside the bins. Remove grain or other debris that might provide breeding conditions for insects.
- 3. Spray both inside and outside surfaces of the bins, making sure to wet thoroughly areas where insects might breed.
- 4. Spray the ground around the outside of the bins to ten feet from the walls.

A coarse, wet spray applied under medium pressure will wet and penetrate wooden surfaces sufficiently well to leave an effective

148-994

ACCEPTED

JUN 81972

FUNDER THE FEDERAL INSECTIONED FUNDS AND AND MEDISTERS OF UNDER NO 12 PT 1/2 SOBJECT TO ALLACIAL COMMENTS.

140-204

