




DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.



POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment below) and if a doctor cannot come, take victim to clinic or hospital.

Do not eat, drink, or smoke while working with this product. Wash hands and face thoroughly with soap and water after work.

After work, wash your body thoroughly with soap and water. Avoid contact with skin and clothing. Do not wear contaminated clothing or shoes into your home. Wash your face and hands with soap and water before eating. Do not drink alcohol or use sedatives after work.

NET WEIGHT



POUNDS

STOP—READ LABEL BEFORE USING!

POISON
See Side Panels
for Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

2% PARATHION DUST

ACTIVE INGREDIENT

Parathion*

INERT INGREDIENT

*O,O diethyl O-p-nitrophenyl thiophosphate

100%

EPA Reg. No. 148-10-5

CC

EPA Est. No. 148-VA-1

FIRST AID TREATMENT

Call a doctor (physician) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, force him to vomit quickly. Induce vomiting by sticking finger down throat or by giving 1-2 cups of water. Do not give food or drink.

Do not induce vomiting if victim is unconscious or if a doctor cannot come. Take victim to clinic or hospital.

Do not give any medicine or treatment without a doctor's order.

NOTE TO PHYSICIAN

Antidote—Atropine. Give 1-2 mg. intravenously or 2-4 mg. orally. Repeat every 15-30 minutes until symptoms of atropine poisoning (dry mouth, blurred vision, etc.) appear. 2-4 mg. of atropine should be given every 15-30 minutes until the patient is fully recovered. Do not give atropine if the patient is already receiving it.

Atropine is a strong anticholinergic drug. It should be given with caution to patients with glaucoma, heart disease, or other conditions.

Atropine should be given with caution to patients with glaucoma, heart disease, or other conditions.

Atropine should be given with caution to patients with glaucoma, heart disease, or other conditions.

Atropine should be given with caution to patients with glaucoma, heart disease, or other conditions.

DO NOT USE

BEFORE USING READ WARNING AND NOTICE STATEMENTS CAREFULLY

**APHIDS — CABBAGE, CAULIFLOWER, AND BRUSSELS
SPROUTS** — 15 to 25 lbs. per acre. On Cauliflower and
Brussels Sprouts no application within 7 days of harvest.
Do not apply within 10 days of harvest on Cabbage.

MEXICAN BEAN BEETLE — BEANS — 25 lbs.
to the acre. No application within 15 days before harvest.

APHIDS — PEAS — 20 to 25 lbs. to the acre. Not more
than two applications during the growing season and no
application within 10 days of harvest time or after bloom,
whichever is the earlier.

APHIDS — TOMATOES — 25 lbs. to the acre. Not
more than two applications and no application within
10 days of harvest.

RED SPIDER — STRAWBERRIES — 25 lbs. to the
acre. One or two applications during growing season and
no application after fruit sets or 14 days before harvest.

**FALL ARMY WORMS — YOUNG KALE, COLLARDS AND
CABBAGE** — 15 to 25 lbs. to the acre. Do not apply
within 10 days of cutting time.

COTTON: For Red Spiders and Aphids use 10 to 20 lbs.
per acre. Use 30 lbs. per acre for large rank cotton.
Do not hand pick or harvest within 7 days of application.

**Workers Entering Fields Within 24 Hours After
Application Should Wear Protective Clothing.**

CAUTION: This product is highly toxic to bees exposed
to direct treatment or residues on crops. Protective infor-
mation may be obtained from your Cooperative Agricul-
tural Extension Service.

NOTICE: Seller makes no warranty, expressed or implied,
concerning the use of this product other than indicated on
the label. Buyer assumes all risk of use and/or handling of
this material when such use and/or handling is contrary to
label instructions.

DESTROY CONTAINER WHEN EMPTY

