

[148-106] DIRECTIONS

CABBAGE, KALE, COLLARDS, MUSTARD TURNIP and BROCCOLI. To control aphids, imported cabbage worm and cabbage looper dust at the rate of 30 to 40 lbs. per acre, repeating when necessary. Make no application within 7 days of harvest to Cabbage, Kale, Collards, Mustard and Turnip; within 3 days of harvest of Broccoli.

BEANS: To control Mexican bean beetle, leafhopper and spider mites — dust at the rate of 30 to 35 lbs. per acre, repeating as necessary. Make no application within 24 hours of harvest.

PEAS: To control pea aphid — dust at the rate of 25 to 35 lbs. per acre, repeating when necessary. Make no application within 3 days of harvest.


TOMATO: To control spider mites and aphids — dust at the rate of 35 to 45 lbs. per acre, repeating as necessary. Make no application later than 3 days before harvest.

POTATO: To control aphids — dust at the rate of 30 to 35 lbs. per acre, repeating as necessary. Make no application later than 3 days before harvest.

CUCUMBER, SQUASH and MELON: To control aphids and spider mites — dust at the rate of 30 to 35 lbs. per acre, repeating when necessary. Don't dust unless plants are dry and make no application within 3 days of picking.

PEPPERS and EGGPLANT: To control aphids and spider mites — dust at the rate of 20 to 25 lbs. per acre, repeating when necessary. Make no application within 3 days of harvest.

(DIRECTIONS CONTINUED ON RIGHT PANEL)



**4%
MALATHION
DUST**

ACTIVE INGREDIENT	
Malathion*	4.00%
INERT INGREDIENTS	96.00%
TOTAL	100.00%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 148-106

IP

EPA Reg. No. 148-106



P. O. BOX 2283, KANSAS CITY, KANSAS 66110

ORNAMENTALS: For the control of the following: European pine shoot moth, tent caterpillar, birch leaf miner and boxwood leaf miner, lace bugs, bagworms, white fly, mealybugs, thrips, Japanese beetle, aphids and red spider. Make thorough full-cover applications, repeating when necessary.

Note to Physician: Atropine is Antidotal.

CAUTION

Avoid breathing of dust or spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and food-stuffs. Keep out of reach of children.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Containers should be disposed of by burning (keep out of smoke). Bury ashes in non-crop lands away from water supply.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.